

# PEGASUS

INDUSTRIAL
SEWING MACHINE

### **PARTS LIST**

MODEL

DC-MS230

DC-MS205

DC-MS220

DC-MS250

HIGH SPEED
2 NEEDLES
5 THREADS
SAFETY-STITCH
MACHINES



MODEL DC-MS230

PEGASUS SEWING MACHINE MFG. CO., LTD.

### IN ORDERING PARTS

This list has been arranged to simplify ordering repair parts for DC-MS series machines on the basis of model DC-MS230.

Various sections of the mechanisms are shown on each page. On the page opposite the illustration will be found a listing of the parts with their reference numbers, parts numbers, name and the number of pieces required.

A parts whose number is marked with an asterisk, e.g. \*202075A, Page 3, is not recommended for the individual replacement, so complete assembly or sub-assembly should be ordered.

Organization parts for all models, whose numbers are marked with two asterisks, e.g. \*\*200711, Ref. No.31, Page 5, are again illustrated and listed on the pages 26-29 so that the parts numbers of relating other organization parts for repair or conversion may be obtained.

If the parts are used exclusively for certain models only, such machine models are specified in the column "Name" listed on Page 3 to 23.

In ordering parts from this list, USE ONLY the PARTS NUMBER in the second column. Reference number should never be used in ordering parts.

This Parts List applies to the machines manufactured in August, 1979.

### 部品表御利用に際して

本パーツ・リストば、DC-MS230型ミシンを基に、 DC-MSシリーズ・ミシンの修理用部品を容易にご利用戴 けるよう編集されています。

機構別に各頁に収録され,部品図解頁の反対頁には参 照番号,部品番号,名称,使用数量の順で記載されてい ます。

部品番号の左に\*印の付された部品は、複数の部品が組合された部品の一部品で個々に販売はしていません。ご入用の際はこれらの部品が組合された部品をご注文下さい。(例:3頁,\*202075A,クランクシャフト・\*200605,クランクシャフト油受リングが組合されて、参照番号7,202074,クランクシャフト(組)・となっています。)


\*\*印の付された部品はゲージ・パーツです。ゲージ・パーツは26頁~27頁に図解を、28頁~29頁に機種別、 用途別(使用糸別)に該当ゲージ・パーツの一覧表を記載 していますので、この一覧表を参照して下さい。(例:5 頁、参照番号31、部品番号\*\*200711針棒)

本パーツ・リストの3頁~23頁にわたって、名称欄に 使用機種名を指定しています部品は、指定された機種の みに使用される部品であります。したがって使用機種名 を指定していない部品は、全機種に共用できます。

本パーツ・リストに基き部品ご注文の際,参照番号は 絶対に使用されず,部品番号のみを明示して下さい。


本パーツ・リストは197**9**年8月現在製造中のミシンを もとに作成されています。

CONTENTS	<b>国</b> 次	PAGE 頁
ARM-BED & CRANKSHAFT MECHANISM	アーム・ベッド, 主軸機構	2 ~ 3
NEEDLE DRIVE MECHANISM		
RIGHT & LEFT LOOPER DRIVE MECHANISM	大・小ルーパー機構	6 ~ 7
(1) DOUBLE CHAINSTITCH LOOPER DRIVE MECHANISM	······二重環ルーパー機構(1)·····	8 ~ 9
(2) DOUBLE CHAINSTITCH LOOPER DRIVE MECHANISM	······二重環ルーパー機構(2)·····	1 0 ~ 1 1
FEED MECHANISM		
PRESSER FOOT & LIFT MECHANISM	押工機構	14~15
UPPER & LOWER KNIFE MECHANISM	上・下メス機構	1 4 ~ 1 5
(1) PUMP LUBRICATING MECHANISM		
(2) PUMP LUBRICATING MECHANISM	給油機構(2)	18~19
(1) MACHINE FRAME AND MISCELLANEOUS COVERS	······カバー・外装機構(1)······	······2 0 ~ 2 1
(2) MACHINE FRAME AND MISCELLANEOUS COVERS	カバー・外装機構(2)	2 2 ~ 2 3
LIST OF ORGANIZATION PARTS	ゲージ・パーツ表	26~29
ACCESSORIES		$30 \sim 31$
NUMERICAL INDEX OF PARTS	········部品番号索引······	$30 \sim 31$




## ARM-BED & CRANKSHAFT MECHANISM アーム・ベッド,主軸機構

No.		Name 名 称	Qt.
番号	部品番号		数量
1	202070	Machine arm-bed, complete with 202001, 202071, アーム・ベッド(組)202001, 2020	
		1936x2 & 13795x2. 1936×2, 137950×	
		( ),,,,,,,,,,,,,,,,,	/H) 1
	<b>*</b> 202001	Machine arm 7-4	1
	<b>*</b> 202071	Machine bed	2
	1936A	Machine arm-bed screw アーム・ベッド締付ネジ	2
	137950	n hinge pin ル ル テーパーピン	
2	202046	Brand plate 銘板	1
3	5132	Machine bed bolt (long) ベッド取付ポルト(長)	2
4	5133	" " (short) " (短)	1
5 202	2045 <del>202051</del>	·/ // washer // // 座金	3
6	200211	Oil filler cup オイルカップ	1
7	202074	Crankshaft, complete with 202075A & 200605. クランクシャフト(組)202075A,	200605 1
		(DC-MS205, 220, 230 & 250 only)	ノ組
		(DC-MS205, 220, 230, 250	用)
	*202075A	Crankshaft タランクシャフト	1
	<b>*</b> 200605	" oil ring / 油受リング	1
8	200703	" crank エキセンクランク	1
9	5058	" position screw	
10	2913-1	" " screw " " (先無)	1
11	200607	" " oil plug // 油栓	1
12	200389	, wick /	1
13	200707	" bushing (DC-MS205, 220, 230 & 250 only) 小ブッシュ (DC-MS205, 220, 23	),250用) 1
14	2022-3	, screw , 止ネジ	-1
15	202006	# flanged bushing 大ブッシュ	1
16	2368	" " screw / 止ネジ	1
17	200633	" bushing oil wick 小ブッシュ給油フェルト	7
18	202024	" flanged bushing oil wick 大ブッシュ給油フェルト	1
19	202025	・・・・ bushing and flanged bushing 大、小ブッシュ給油フェルト押エバネ	2
		oil wick spring	
20	202026		止板 2
		oil wick spring clamp	had.
21	4009-1	" " flanged bushing " " " "	〃 止ネジ 2
		oil wick spring clamp screw	
22	200664	· · · · · · · · · · · · · · · · · · ·	1
23	202007	Pulley 7-11-	1
24	5051	., screw / 止ネジ(先無)	1
25	5050	,, position screw , , (先有)	1
36.	5052	n position solon / (元有)	1




## NEEDLE DRIVE MECHANISM 針 棒 機 構

Ref. No.	Parts No. 部品番号	Name				-	名	Qt. 数量
🖫	прин 🖽 🕖							8A.M
	200034	Needle	har	connection cor	nnlete with 2000	33 & 2213x4	大ロッド(組)200033,2213-1×4トノ組	1
1	200034	"			iipicic with 2000	33 & 2213A4	/ / / / / / / / / / / / / / / / / / /	- 1
2	2213-1		. "	connection			〃 蓋止ネジ	4
3	137130	"	"	_	screw		が 振り止メ	1
		"	"	" gui			ク が ルネジ . A	1
4	5010 200821	"	"	,, ,,	screw		· · · · · · · · · · · · · · · · · · ·	1
. 5	200534	,,	,,	drive crankshaf	*4		たいまた ニンク ed	1
6	1234						針棒クランク軸	
		**	"	" "	plug screw		ター 蓋ネジ	1
7	200265	"		" "	ball stud		針棒後クランク球	1
8	2022-4	"	"	" "	" " scre		ルネジ かん	1
9	200389	"	"	" "	" " oil	wick	〃 給油フェルト	1
10	000005				hushing (front	4)	A164	
10	200037		"	"	bushing (front		針棒クランク軸ブッシュ前	1
11	1457	"	"	" "	" "	screw	ク クルネジ	1
12	202010	"	"	" "	" (rear)		* 後	1
13	1457	"	**	<i>n</i> · · · <i>n</i>	" "	screw	〃 〃 〃 〃 〃 止ネジ	1
14	200652	• ••	**	" crank			針棒前クランク	1
100	<del>/                                    </del>							
	85 <del>-2022</del>	"	"	" scr			〃 止ネジ	2
16	200653	**	"	connecting link			針棒リンク	1
17	200654	"	"	" "	pin		<b>ル</b> ピン	2
18	202177	"	"	11 11	" oil wick		/ / 給油紐	2
19	1222	"	"	" "	" screw		〃 ルエネジ	2
20	200655	"	"	" brac	ket		針棒抱キ	1
21	1170-3	"	"	" "	screw		〃 止ネジ	1
22	200531	. "	threa	d take-up			上糸振り糸道	1
23	1196	"	"	" scre	W		ルボジ	1
24	200709	"	"	retainer brac	ket		小調子台	-1
25	1186	"	"	,, ,,	screw		〃 止ネジ	1
26	192070	,,	,,	" guid	e		小調子皿	1
27	1920 70=1	,,	,,	" sprii			小調子バネ	1
28	9070-2	,,	,,	" "	screw		ルルネジ	1
29	137101	,,	,,	eyelet			上糸道	1
-								_
30	1216	"	"	· screw			4 止ネジ	1
	<b>* 20</b> 0711	,,	bar.	complete with	141122, 200713	3 & 5292x2	針棒(組)141122,200713,5292×2ノ組	_ 1
				(DC-MS230 &		02,212	(DC-MS230, 230D用)	
	<b>*</b> 141122	"	bar	(			針棒	1
	<b>*</b> 200713	· //	clamp	n			針株	1
32	5292	"	"	screw			針止ネジ	2
			_					
33	$DC \times 1$	Needle	for	overlock stitch	or right needle		針	1
34	$DM \times 13$	"			itch or left nee		*	1
35	137123	,,		bushing			針棒ブッシュ	2
36	137123			ousting screw			<b>11年</b> / / / - 上 ・ ジ	2
	* 200715A	"	plate			A A A A A A A A A A A A A A A A A A A	針板(DC-MS230用, (カタン糸用))	1
J1 4	- 2001 IJA		Prato				УПИСТЕ 14 СВОО/11, (УУУ У ЛГП //	
38	1732	,,	,,	screw (long)			〃 止ネジ(長)	. 1
39	5061	1 ,,	,,	" (short)			, (短)	1
	200716		guard				針受	1
40		,,	_				り止ネジ	1
41	1202	"	" three	screw			ク エイン 針糸調子ナット	2
42	201035A	"	ınrea	d tension nut			メニスド 説向丁 ノ ツ ド	
42	201027	. ,,		·· sprin	10		<b>ルバネ</b>	2
43	201037		,,	_	-			2 2
44	201039		"		cup		, , 受皿	
45	101111	"	"	" disc			/ <u> </u>	4
46	1817-2A	"	"	" post			<b>/</b> 棒	2
47	202278	"	"	" sprin	ng bushing		〃 〃ナット止パイプ	2
48	3044	"	"	-	nut		<i>ッ</i> ・	1
49	141105	"	"	" guid	e		上糸調子台	1
50	202184						針受(=重環針用)	1
								1
51	2922						〃 止ネジ	7




### RIGHT & LEFT LOOPER DRIVE MECHANISM 大・小 ル ー パ ー 機 構

Ref. No	Parts No.	Name	è				名称	Qt.
参照番号			-					数量
35.74 H. 1	прин не 77							
	200618	Right	looner	r drive	connecti	ion	小ロッド	1
1 2	2213-1		, 100pci	"	"	cap screw	/ 蓋止ネジ	4
3	137130	,,	,,		,,	guide	∞ 振り止メ	1
4	5010	-11	,,	,,	"	" screw	ル ルールネジ	1
		"	"	,,	,,	ball stud		1
5 5	137121 20 <i>0</i> 82†						″ 様 リルメルネジ/座金	
6	2022-4	"	"	,,	"	" " scr	rew 〃 〃止ネジ	1
7	202135			lever			大ルーパー台	1
8	200620	•		10	shaft		" ピン	1
9	202176	"		"	" oi	l wick	/ / 給油紐	1
10	137409	"	"	"	" bu	ıshing	割ブッシュ	2
11	2022-4	"	"	"	"	· screw	〃 止ネジ	2
12	* * 137301	"	looper				大ルーパー	. 1
13	1196	"		screw			/ 止ネジ	1
14	137307A		looper				大ルーパー台糸道	1
15	200947	" "	**	"	" (	clamp	/ 板金	1
16	2922			"	,,, ,	CPATU	/ 止ネジ	1
17	200624	"	,,	lever		screw	小ルーパー台	1
18	200625	,,	"		haft		/ ピン	1
19	202176		,,	" s		wick	/ 給油紐	1
20	202179	,,		· · ·		wick	/ / 給油紐	î
21	2022-3	,,	,,	.,,	" scre		/ ルネジ	1
	2022 3			<u> </u>	W SCIC	- W	11.4	
22	* * 137302	"	looper				小ルーパー	1
23	5053		"	screw			ル 止ネジ	1
24	200717	Right	looper	r thread	d take-uj	p	大ルーパー糸道	1
25	1196		"	"	"	screw	ルールネジ	1
26	200621A	Loop	er con	necting	link		ルーパーリンク	2
27	200622A	"		"		shing	クリンツ カインツ	2
28	200623A	"		"		" screw	※ 締付ネジ	2 2
29	3044	D: 1.		"		" " nut	<i>*</i>	
30	137104	_	-		i staple		三又糸道	1
31	1216	"	**	**	t i	screw	〃 止ネジ	1
32	3056		,,	,,	tensior	n nut	前糸調子ナット	1
33	101113	,,	,,	,,	"	spring bushing	リック ルパイプ	i
34	137115		"	,,	,,	spring	ルバネ	i
35	101111	"	,,	••	"	disc	, 🔳	2
36	1817-2A	,,	"	"	"	post	,棒	1
- 00	101. DA					-		
37	137142	"	"	"	"	" washer	" "座金	1
38	137106	"	,,	"	"	guide	, 台	1
39	3056	Left	looper	thread	tension		裏糸調子ナット	1
40	101113	"	**	"	"	spring bushing	〃 ル 止パイプ	1
41	137114	"	**	"	"	spring	<b>ルバネ</b>	1
VISC.						41		
42	101111	**	"	"	"	disc	<b>"</b> III	2
43								
	1817-2A	1 00	"	••	**	post	<b>/ 棒</b>	1
44	1817-2A 137142	"	"	"	,,	" washer	〃 〃座金	1
	1817-2A							




## (1) DOUBLE CHAINSTITCH LOOPER DRIVE MECHANISM 二 重 環 ル ー パ ー 機 構 (1)

ef. No	o. Parts No.	Name				_名 称_			Qt.
是番別	部品番号								数量
		T	1		41- 2020774		terna Luca	14/45/000055	
	202076	Looper	drive connect	on, complete wi 2213-1x2 &		二重環ルーバ		ド(組)202077 A, 13ー1×2,1170×2 ノギ	1 я
1	202077 A	**	" connect		11/0/2	"	1/	13—1 ^2, 1170 ^2 > #	1
2	2213-1	"	,, ,,	cap screw (1	arge)	"	,	蓋止ネジ(大)	2
3	1170	,,	,, ,,	_	mall)	"	"	* (小)	2
4	202081	,,	,, ,,	oil wick		"	"	給油フェルト	1
1470									
5	202083 A		" "	spri	ing	*	"	給油紐押エバネ	1
6	1216	" '	" "		· screw	"	"	/ / 止ネ	
7	200756	"	" "	ball stud		"	"	球(小)	1
8	2022	"	" "	guide	ew	*	"	〃 〃 止ネジ	1 1
9	200757	"	" "	guide		"	, ,	振り止メファイバー	1
10	200758	,,	" crank (	front)		二重環ルーパ	- 掲リクラン	ク(前)	1
11	1156	,,	" "	" screw		一里块小	100 // / *	/ (HU) / 止ネジ	1
12	200759	"		rear)		,,	*	(後)	1
13	2022-4		" "	screw		"	. //	〃 止ネジ	1
14	200760	"	,, ,, s	haft		二重環ルーパ	一振リクラン	ク軸	1
15	200761	"	" "	" bushing		11 0	"	ブッシュ	2
16	2022	"	" "	" scre		"	"	/ 止ネジ	2
17	202176	"	" "		wick screw	"	"	/ 給油紐	2
18	200742	"	" "	d end (left), co		一手理,"	##11 dom	/ / 止れ	
19	202138	•	connecting 10		174x2	一里環ルーハ	一振り小ロッ	ド(左)1174×2 トノ組	1 1
		21			ITTAL				
20	1174	,,	,,	, ,, ,, Ca	ap screw		. "	∞蓋止ネジ	2
21	200401	"	,,		all stud		,	球(左)	1
22	200396	. ,,	,,	" (right),	complete with	"	,	(右)1174×2 トノ組	
					1174x2				
23	1174	"	,,		cap screw	"	"	〃 蓋止ネジ	2
24	200400	"	**	, ,, ,,	ball stud	"	4	球(右)	1
in the									
25	3018	"		, ,, ,, , guide	" nut	*	"	〃 〃 止ナット	
26	200398	"	,, IO			二重環ルーパ	/at 64t left	振り止メ	1
27	200767	,,		nut (left)				k(t)	i
28 29	3091 3092	,,		, ,, (right)		**		ット(左) • (右)	1
23	3032			(6)				/ (11)	
30	200782	,,	lever			二重環ルーパ	一台		1
	5002 <del>5064</del>		clamp s	crew		,	止ネジ		1
32	<b>* *</b> 200785	Looper				二重環ルーパ	- /		1
33	1202	"	screw			"	止ネジ		1
34	202136	"	thread eyelet			"	糸道		1
								*	4
35	1202	"	// //	screw		// AND AND BEE	ヶ 止ネ	9	1
36	200799B	"	" take-u			下糸調節器	201		1 ,
37	5292	"	" cast-of	screw f bracket		ァッツ ル 下糸調節台	ネジ		1 1
38	200787 A	"		screw			ネジ		1
39	5064	.,	" "	SCICW		<b>7</b> III	. 17 /	<u></u>	
40	202137	,,	" guide	<del></del>		· · · · · · · · · · · · · · · · · · ·	道		1
41	200798B	,,	" cast-of	f		下糸サバキ	~=		1
42	1234	,,	" "	screw			ネジ		1
43	200795A	,,	" staple			二又糸道			1
44	200793	"	" "	lock spring		〃 押エ	バネ		1
26577									
		**		., ., scre	w	"	〃 止ネジ		
45	1202	• • • • • • • • • • • • • • • • • • • •					22.0		4
45 46 47	1202 200719 1457-1	"	" guide			糸道パイプ	ネジ		1



## (2) DOUBLE CHAINSTITCH LOOPER DRIVE MECHANISM 二 重 環 ル ー パ ー 機 構 (2)


Ref. N	o. Parts No.	Name					名 称				Qt.
		Ivalile				_	- 14·			-	数量
参照番	方 部品番号				•					1	奴里
12	200764 <del>200768</del>	Looper	avoiding	connection,	complete with & 2918x2.	5002x2	二重環ルーパー前	後ロッ	ド(組)5002×2,29	)18×2 トノ組	1
2	5002	,,	,,	,,	cap screw (larg	(e)	"	"	蓋止ネジ(大)	1 / 1014	2
3	2918	,,	.,	,,	" " (sma		,	,	・ (小)		2
4	202047	,,	,,	,,	oil wick	ш)	,,,	"	給油フェルト		1
5	200737	"	,,	"	" " spring		,	,	給油紐押エバネ		1
- 3	200737				·· ·· spring				40 (m/m) 1 1		
6	1186	"	"	**	,, ,, ,,	screw	"	"	" "	止メジ	1
7	200770	••	"	"	ball stud		"	"	球	-	1
8	200771	,,		crank			二重環ルーパー前				1
9	5002	"	"	" clamp	screw			"	止ネジ		1
10	200772		"	shaft	,		二重環ルーパー前	後振り			1
	500172										
11	200773		"	" bushir	ng (left)		,,	"	ブッシュ	.(左)	1
12	202176	"	-11	" "	" oil wic	k	"	. 11	"	〃給油紐	1
13	200742	,,	"	" _ "		screw	"	"	"	〃 /止ネシ	<i>i</i> 1
14	200773	.,,	.,	,,	(right)		"	"	"	(右)	1
15	200741	,,	,,		" oil wi	ick	"	"	"	給油フェルト	1
									. ,	1014	
16	200775	"	"	" collar			"	"	カラー		1
17	1457-1	"	"	11	screw		"	"	» <u>ı</u> ı	:ネジ	2
18	200776	**	"	link			二重環ルーパー前	後振リ	リンク		1
19	2237	"	. "	" screw			"	"	止ネジ		2
20	200777	"	" "	" pin			"	"	ピン		1
-						· · · · · ·					
21	5317 -1198 -	マジッ	"	_	ig screw		"	"	〃 蓋ネシ		1
22	202757A	"	"		rust washer		*	"		トワッシャー	1
23	202176		"	· oil wic	k	A V	*	. "	給油紐		1
24	200632	"	"	" " tub	e e		,	*	給油管		1
25	1457	"	"		screw		"	4	<b>ルルネ</b>	ジ	1
					<del></del>						
26	200779	"	lever sha				二重環ルーパー台				1
27	200780	"	,, ,	, guide			"	"	L形		1
28	1175-3	700	" '		ew		"	"	〃 止ネジ		2
29	200781	**		<ul><li>bushing</li></ul>			"	"	ブッシュ		1
30	1435	"	" ,	, ,, s	screw		*	"	〃 止ネシ	1	2
				-			, ,		44.244	A TOP	
31	202176	"			oil wick			"	〃 給油組		1
32	200742	"	throad to		" " screw		7 4 3 7 1 1	"	" "	止ネジ	1
33	3056	"		ension nut			下糸調子ナット				1 1
34	167077	"	"	" spring	3		ッ バネ				2
35	101111	"	"	" disc			» <u>II</u>				<u> </u>
	107070	,,	"				,棒				1
36	167072	,,	"	" post							1
37	200204	,,	"	" guide			か 台 棒取付け	. w. k			1
38	3044	**	,,	" post	nut		" 1年4人门」)	, I			1



### FEED MECHANISM 送 リ 機 構

ef. No. 照番号	Parts No. 部品番号	Name 名	<u> </u>	Qt. 数量
W H / /	прии ш 17			
1	200503	Feed drive connection, complete with 5002x2 & 送り 5003x2	<b>前後</b> ロッド(組) 5002×2, 5003×2 トノ組	1
2	5002	cap screw (large)	〃 蓋止ネジ(大)	2
3	5003	" " (small)	" (小)	2
4	202047	" " oil wick	〃 給油フェルト	1
5	200737	" " spring	/ 給油紐押エバネ	1
6	1186	" " screw	〃 〃 〃 止ネジ	1
7	137419	" " ball stud	" 球	1
8	137142	" washer	〃 〃 〃 굗金	1
9	5001	" " screw	〃 ルルネジ	1
10	200322	·· regulating segment 送り	調節器	1
11	1156	clamp sprew	ク 抱締ネジ	1
12	137409	・・・ rocker pin bushing 割っ	ブッシュ	2
		(One piece only requires for DC-MS205D, 220D, 230D & 250D)	(DC-MS205D, 220D, 230D, 250Dハ所要数1ケ)	
13	2022-3	" " screw .	/ 止ネジ	2
14	140402	· rocker 送り	ロックシャフト	1
15	137417	" " pin 送"	台シャフト	1
16	202088	· bar 送り	取付台	1
17	137442	" hinge pin	<b>ルピン</b>	1
18	2237	" " " screw	〃 〃 止ネジ	1
19	137442-1	" " collar	// カラー DC-MS205	1
20	5053	" " screw	* * ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・	<sup>7</sup> , 1
21 *	*200723A	·· dog 送り		1
22	1175-2		・止ネジ	1
23	200627		上下ダルマ(組) 200628,198 <mark>106</mark>   3044 <del>200629</del> トノ組	1
	*200628	" " screw	がボネジ	1
3044	* <del>200629</del>	" " nut	" " t " h	1
24	202176	" " oil wick (also used for upper	» 給油紐	1

<sup>★</sup> The parts, whose reference numbers are 14 to 24, are used only for model DC-MS205, 220, 230 & 250.




## PRESSER FOOT & LIFT MECHANISM 押 工 機 構

		PRESSER FOOT & LIFT M	LCHAMISM	
7		押工機	構	
Ref. No.	Parts No.	Name	名称	
》 学照番号	部品番号	Name		Qt. 数量
7.77 H 7	прппшт			纵里
1	137140	Presser arm (DC-MS205, 220, 230 & 250 only)	畑エ☆ (DC-MS 205 220 230 250田)	1
2	137552	" " pivot stud	リーロ (Do Mo 200, 220, 230, 230m)	1
3	. 2213	" " screw	〃 〃 止ネジ	1
4	137141	" spring		1
5	2371	" regulating thumb screw	〃 〃 調節ネジ	1
6	137143	Hand lift lever	押エ手揚ゲ	1
7	5056	" " pin	<b>ル ピン</b>	1
8	1458	" " screw	〃 〃 止ネジ	1
- 9	2370	" eccentric screw	ル エキセンネジ	1
10	3044	" " " nut	* * * * * * * * * * * * * * * * * * *	1
11 *	<b>*</b> 200731	Presser foot, complete	押工(組)	1
12	2308	" screw	ルルネジ	1
13	137142	" washer	/ / 座金	1
14	137146	Foot lift lever	押工足揚ゲ	1
15	137145A	" " bracket	" 台	1
16	2213	" screw	〃 〃止ネジ	2
17	2 <b>28</b> 5	" " pivot stud	ル 取付ネジ	1
18	<b>213</b> 3	" " adjust screw	ッ 調節ネジ	2
19	3044	" " nut	// ナット	2
20	137147	" " spring	ルバネ	1


## UPPER & LOWER KNIFE MECHANISM 上・下 メ ス 機 構

21	200631	Upper	knife	drive	connection,	complete with 上メスロッド(組) 1174×2トノ組 1174×2	1
22	1174	,,	,,	,,	"	cap screw / 蓋止ネジ	2
23	2366-2	"	,,	,,	,,	stud グ テーパーネジ	4
24	3018	,,	,,	,,	,,	" nut " " + y h	1
25	200725A	,,	,,	lever		上メス台	i
	20012311			10101		2.771	
26	137552	"	**	"	pin	" ピン	1
27	2133-1	"	**	"	" screw	ル ル 止ネジ	1
28	* * 138559	**	knife			上メス	1
29	138555A	"	"	carrie	r	上メス抱キ	1
30	138555-1	"	"	**	cap	, 蓋	1
31	5224	"	"	"	" screw	ルール止ネジ	2
32	138556	"	"	clamp		上メス押シ	1
33	1132	"	"	"	screw	ルネジ	1
34	137560	"	**	**	pin	" L°"	1
35	137558	"	"	"	spring	〃 バネ	1
36	137554	,,	,,	guide		上メス案内	1
37	1222		,,	guide	screw		1
			,,	"	bar	<ul><li>ルイン</li><li>ルケック</li><li>板</li></ul>	1
38	137553	"			" screw		1
39	5259	Lower	" Irmifo			/ / ルネジ	2
40	200726 <b>A</b>	Lower	KIIIIE	Carrie		下メス台	1
41	5065	"	,,	,,	screw	〃 止ネジ	1
42	5070	,,	,,	,,	adjust scr		1
43	<b>* *</b> 137562	,,	knife		-	下メス	i
44	137563	,,	"	clamp	1	〃 止ピン	i
45	5069	,,	,,	,,	nut	グ / ナット	1
	0.00					, , ,	




## (1) PUMP LUBRICATING MECHANISM 給油機構(1)

番号	部品番号			数量
		, 202011A,	202011A)	
1	·202012Å	Oil pan, complete with 200119 & 200120	オイルパン(組)200119, 200120トノ組	1
2	200119	" " filter	<b>〃</b> 油 <b>漉</b> 金網	1
3	* 200120	" sight gauge	オイルゲージ	1
4	202013	Cushion rubber, complete with 202058	クッションゴム(組)202058トノ組	4
	<b>*</b> 202058	" " washer	座金	4
5	5134	" screw	〃 止ネジ	4
6	202015	Sleeve	スリーブ	1
7 5	234 <del>-5060</del>	" screw	ルネジ	1
8	202016	Spiral shaft	螺旋軸	1
9	201139	" thrust collar	/ スラストカラー	1
10	1457	,, ,, ,, screw	〃 / ルールネジ	2
11	202017	" oil seal	オイルシール	1
12	202048	Oil pump pulley (right)	ポンププーリー(A)	1
13	1459	" " screw	〃 〃 〃 〃 止ネジ	2
14	202049A	" " (left)	, , (B)	1
15	5293	" " screw	〃 〃 〃止ネジ	2
16	202066	washer	〃 〃 調節ワッシャー	1
17	202021	" " belt	ポンプベルト	1
18	202022A	" filter	フィルター	1
19	202023	" pump outlet "O" ring	吐出口のリング	1
20	5138B	" drain plug screw	排油穴蓋ネジ	1
21	202287A	" " " washer	〃 座金	1
22	202044A	" pan slide plate	オイルパン差板	1




## (2) PUMP LUBRICATING MECHANISM 給油機構(2)

1 2 3 4 5	202032 200137	Oil ""		tube	bottom cover '' '' joint '' stud washer clamp	screw		底カバー     ルネベッド吐出管     松油管継手パ     台油管継手パ     七二ールバイ上軸給油ビニー     油配分器用ビ	継手(雌) (雄) ッキン 一 ブ抱キバネ ールパイプ ニールパイプ		文量 1 3 1 1 1 <del>2</del> 2 6 1 1
2 3 4 5 6 7 8 205763 9 202028A	4009-1 200136 200137 200138 202199 202028A 200134A-B 3200699 3200698 202032 202032 200137	Oil ""	vinyl " " " " "	tube tube tube	joint ,, stud washer			ッ 止ネベッド吐出管系統 当時 を かっぱい かっぱい かっぱい かっぱい かっぱい かっぱい かっぱい かっぱい	継手(雌) (雄) ッキン 一 ブ抱キバネ ールパイプ ニールパイプ		3 1 1 <del>#</del> 2 6 1
2 3 4 5 6 7 8 205763 9 202028A	4009-1 200136 200137 200138 202199 202028A 200134A-B 3200699 3200698 202032 202032 200137	Oil ""	vinyl " " " " "	tube " tube tube tube	joint ,, stud washer	screw		ベッド吐出管系 を油管継手パ ビニールバイ 上軸給油ビニー 油配分器用ビ	継手(雌) (雄) ッキン 一 ブ抱キバネ ールパイプ ニールパイプ		1 1 # 2 6 1
4 5 6 7 8 205763 9 202028A	200137 200138 202199 202028A 200134A B 1200699 1200698 202032 202032	""	" " " " " " " " " " " " " " " " " " " "	tube tube	" stud washer			を 給油管継手パ ビニールパイ 上軸給油ビニー 油配分器用ビ	(雄) ッキン 一 ブ抱キバネ ールパイプ ニールパイプ		1 # 2 6 1
4 5 6 7 8 205763 9 202028A	200138 202199 202028A <del>200134A B</del> 1200699 1200698 202032 2020137	" " " " " " " " " " " " " " " " " " " "	"""""""""""""""""""""""""""""""""""""""	tube tube	washer			給油管継手パ ビニールパイ 上軸給油ビニ 油配分器用ビ	ッキン プ抱キバネ ールパイプ ニールパイプ		<del>≠</del> 2 6 1
6 7 8 205763 9 202028A	202199 202028A 200134A B 1200699 1200698 202032 202032	" " " " " " " " " " " " " " " " " " " "	" " " "	tube tube				ビニールパイ 上軸給油ビニ・ 油配分器用ビ	プ抱キバネ ールパイプ ニールパイプ		6
7 8 205763 9 202028A	202028A 200134A-B 1200699 1200698 202032 202032 200137	"	""	tube tube tube	clamp			上軸給油ビニー油配分器用ビ	ールパイプ ニールパイプ		1
8 205763 9 202028A	200134 A D 200699 A 200698 202032 202037	"	"	tube tube				油配分器用ビ	ニールパイプ		_
9 202028A	2 <del>00699</del> 3 <del>200698</del> 202032 200137	"	"	tube				11-1-0-1			1
(C. 100) (C. 10)	202032 200137	"									
10200140A	202032 200137			tube				排油用ビニー			1
	200137							油配分器排油	用ビニールパイプ		1
11				••	joint			上軸給油管継	手(雌)		1
12		**	"	"	" stud			"	(雄)		1
13	202033	Need	dle ba	ar driv	ve crankshaft	oil wick		上軸給油フェ	ルト		1
14	200136	Oil	vinyl	tube	joint			油配分器用ビ	ニールパイプ継手	(雌)	1
15	200136		"	"	joint			排油用ビニー	ルパイプ継手(雌)		1
16	202034	,,	distril	butor	joint stud			油配分器継手	(雄)		1
17	202035A		distril	butor				油配分器			1
18	202903	"	"	,	plug			〃 油栓			1
19	200632	_ "	tube					トリプルエキ・	セン給油管		1
20	5113	"	".	screw				".	〃 止ネジ		1
21	202176	Oil	wick					,,	給油紐		1
22	202040	"	tube		1			送リロックシ		DC-MS	
23	5064	"	,,, ·	screw	DC-MS205,	220, 230	& 250 only	. / "	〃 止ネ		
24	202176	"	wiçk					/ / /	給油紐	7 230, 250用	1
25	202040	"	tube					上メス台給油	管 ·		1
26 5064	7 <del>-5060</del>	,,	,,	screw		7:		" "	止ネジ		1
27	202176	,,	wick					〃 給油			1
28	202079	,,	tube					二重環ルーパー	-振リ大ロッド給	油管	1
29	2924	"	,,	screw				*	*	〃 止ネジ	1
	202175	,,	wick					,	/ 給	油紐	1




## (1) MACHINE FRAME AND MISCELLANEOUS COVERS カ パ ー・外 装 機 構 (1)


	カ バ ー・外 装 機	雄 (1)
	77 71 - 191 ac 100	115 (1)
Ref. No. Parts No.	Name	名 称 Q
参照番号 部品番号		数量
1 200751	Front cover extension holder	角台 1
2 1281	" " screw	/ 止ネジ 1
3 200752	Frame front oil shield	<ul><li>ルカバー</li><li>1</li></ul>
4 1216	" " screw	ク ク 止ネジ     2       切屑除ケ(メッキ)     1
5 202087A 5 202185	Front cover extension	切削除ケ(メッマー) 1 // (PW 色) 1
6 1202	" screw	〃 止ネジ 2
7 200187A	" lock spring	前カバー止パネ 1
8 202008	Pulley cover	プーリーカバー 1
9 4009-1	" screw	ル 止ネジ 3
10 202050	Oil pump belt cover	ベルトカバー 1
11 5227 -1196-	" " screw	* 止ネジ 2
12 200670A	Needle bar cover	上カバー 1
13 200168	" " hinge (interior)	* ヒンジ(A) 1
14 1326	" " screw	〃 〃 〃 止ネジ 2
15 3091	.,' ., ., ., ., ., nut	<i>" " " " + " + " + " 2</i>
000051	(autorian)	, , (B) 1
16 200671 17 2905	" " (exterior)	// // (B) 1 // // // // // // 2
17 2905 18 200672	" " pin	ク ク ピン 1
19 5025 <del>8023</del>	" screw	〃
20 200697	" " rubber catch	〃 当ゴム 1
21 200174	" " washer	" " 座金 1
		ク ク 止ネジ 1
	" " screw	
22 <b>5328</b> <del>5136</del> 23 200673	screw	* 止パネ 1



# (2) MACHINE FRAME AND MISCELLANEOUS COVERS カ バ ー・外 装 機 構 (2)

#報告号 部品番号	Ref. No.	Parts No.	Name		名 称	Qt.
1 200743 Cloth plate, complete with 200744 & 200745 DC-MS 大カバー(組)200744, 200745 /組 205, 220, * (上) 205, 220, * (L) 205, 220, 220, 220, 220, 220, 220, 220,			Traine			The state of the s
**200744	S.VILE 1	прип ві та				and the first of the second
**200744	1 4	200743	Cloth	plate complete with 200744 & 200745) DC-N	MS 大カバー(組)200744.20	00745ノ組 LDC-MS 1
20074520026538				plate 205.	220. 《 (上)	205, 220, 1
2 137008 " " lock spring 250 only * 女/木 1 230 250 220				extension 230	& (下)	
3   1234						1
4   2419			- "			2
5   3144			·			N
Regord   137011	4	2419	"	" screw	〃 止ネジ	
7 137011	5	3144				
9 200640 A *200170	6 202097	7- <del>202073</del>	Model	plate (DC-MS230 only)		,
9 200640 A Frame cover (rear), complete with 200170 & 3044 検力パー(組)200170, 3044ト/組 1	7	137011	"	,, pin		2
*200170	-0	202082 B	Patent-	plate	特許マータ	
*200170	w .		T.	(reed) complete with 200170 & 2044	後 土 パ (4日)200170	2044 L 7 \$H 1
3044						
10 200168 hinge とンジ 1 11 1216 hinge とンジ 1 12 200169 pin	2.2			N. C.		
11 1216 """ *** screw " *** 止ネジ 2  12 200169 """ "" pin	10					
12 200169 """ """ pin """ 以 pin "" 以 pin """ 以 pin "" 以 pin """ 以 pin """ 以 pin """ 以 pin """ 以 pin "" 以 pin """ 以 pin "" 以 pin """ 以 pin ""				F		
13   5025	11	1210			— т.ү.	
13 5025 """ "" screw """ 上木ジ 2 14 200172 """ "" lock spring "上パネ 1 15 1175-2 """ "" screw """ 上木ジ 2 16 200162A """ """ washer """ 上木ジ 2 16 200174 """" """ washer """ 摩金 1 17 720173 200097 """ """ washer """ 摩金 1 19 2905 """" """ """ screw """ """ ** ** ** ** ** ** ** ** ** ** *	12	200169	"	" " " pin	" " " ピン	
15 1175-2 " " " " screw * * 止ネジ 2 16 200162A " " " " " washer * * 座金 1  17 700/73 200697 " " " " " washer * 座金 1  18 200174 " " " " " washer * 座金 1  19 2905 " " " " " " Screw * 上ネジ 1  20 200783 A Thread guide * 米道(A) 1  21 5012 " " screw * * 上ネジ 1  22 193174 " eyelet * * ② 上ネジ 1  23 1326 " " screw * * ② 上ネジ 1  25 4009-1 " " " Screw * ② 上ネジ 1  26 137142 " " washer * 座金 1  27 1175-2 " " " " Screw (rear) * ② 上ネジ (前) 1  28 200961 200746 Front cover, complete with 200747, 200748x2 & 前カバー(組) 200748×2 , 1  200186 * * ② 200747 " cover * 本体 1  * ② 200788 " " hinge(interior) * ② 200186 / 組  * ② 200186 " " hinge(interior) * ② 200186 / 組  29 20184 " " hinge (exterior) * ② 200748 * ② * * 上ネジ 3  30 1216 " " " " screw * * * * * * * * * * * * * * * * * * *						
15 1175-2 " " " " " screw " * * 上ネジ 2 16 20162A " " " " " washer * * * * 座金 1  17 200/73 200007 18 20174 " " " " " washer * * * 座金 1 19 2905 " " " " " screw * * * 上ネジ 1 20 200783 A Thread guide * * * 遠(A) 1 21 5012 " " screw * * * 上ネジ 1  22 193174 " eyelet * * * (B) 2 23 1326 " " screw * * * 上ネジ 1  24 200641 Needle bar connection cover * * * * * 上ネジ 2 24 200641 Needle bar connection cover * * * * * 上ネジ 2 25 4009-1 " " " " screw (rear) * 上ネジ(後) 1 26 137142 " " " " " washer * * * 座金 1  27 1175-2 " " " " " " washer * * * 座金 1  27 28 200761 200746 * * * * * * * * * * * * * * * * * * *			"		〃 止バネ	1
16 200162A washer  * * 摩金 1  17 7207/73-290897		The second secon	"		/ / 止ネジ	2
18 200174 " " " " washer " 摩金 1 19 2905 " " " " " SCTEW " 上ネジ 1 20 200783 A Thread guide " ※強体			11,	" " washer	, , ,	<b>座金</b> 1
18 200174 " " " " washer " 摩金 1 19 2905 " " " " " SCTEW " 上ネジ 1 20 200783 A Thread guide " ※強体						
19 2905 """" """" """ """ """ """ """ """ """	0.476966	73- <del>200097</del>	••			
20   200783 A   Thread guide			"			
21   5012   " screw						
22   193174						1
23   1326	21	5012	"	" screw	2 2 TY	• .
1326	22	193174	,,	evelet	" (B)	2
24   200641   Needle bar connection cover   大口ッドカバー   1   25   4009-1   " " " " screw (rear)   " 止ネジ(後)   1   26   137142   " " " " " washer			,,		リ リルエネジ	2
25   4009-1			Needle	bar connection cover		
26   137142			"	" screw (rear)	/ 止ネジ	(後) 1
27   1175-2			,,	washer	" "	// 座金
28 200961 200746   Front cover, complete with 200747, 200748x2 & 前カバー(組)200748×2 , 1 200186 / 組 200186 / 組 200186 / 組 200186 / 組					<del></del>	
200186   200186   200186   利益   200186   利益   200186   利益   200186   利益   200186   利益   200186   利益   200186   20018					700962	11111
200862 * 200747	28 20096	61 <del>200746</del>	Front		111	
* 200748				200186		
* 200186 " " knob " "マミ 1  29 200184 " " hinge (exterior) " ヒンジ(下) 1 30 1216 " " " screw " " 止ネジ 3 31 200749 " " " pin " ピン 1 32 5025 " " " screw " " 上ネジ 2			"			
29 200184 " " hinge (exterior) " ヒンジ(下) 1 30 1216 " " " screw " " 止ネジ 3 31 200749 " " pin " ピン 1 32 5025 " " " screw " " 上ネジ 2			"			
30 1216 " " screw " " 止ネジ 3 31 200749 " " pin 1 32 5025 " " " screw " ルネジ 2		<b>*</b> 200186	"	" knob	" " " " " " " " " " " " " " " " " " " "	1
30 1216 " " screw " " 止ネジ 3 31 200749 " " pin 1 32 5025 " " " screw " " 止ネジ 2	00	200101		hinge (exterior)	ル トンジ(下)	1
31 200749 " " pin 1 200749 " " pin 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2						
32 5025 " " screw						
33 700/50 " " " " " 551116	33	200750	,,	spring	" " " "	
	- 33	200100				,
34 200260 Arm-bed & oil pan interstice cover オイルパン隙間カバー 1	34	200260	Arm-be	d & oil pan interstice cover	オイルパン隙間カバー	1
大力バー用 銘 板 ( ペガサース 用 ) 1	0.1				大力バー用銘板(へ	<sup>2</sup> ガサス用) 1
202188 // (W·G 用) 1		•			, (W	/·G 用) 1
/ DEATER					//	• • • • • • • • • • • • • • • • • • • •
[379]]		•				





### LIST OF ORGANIZATION PARTS

### ゲージ・パーツ表ご利用に際して

1. このゲージ・パーツ表には、機種、ゲージ (針巾×縫巾),オーパーロック側に使用される糸の種類、本数別に各ゲージ・パーツを記載しています。

太字で表示している機種はDC-MSシリーズの標準機種であります。 (注) 縫巾とはオーバーロック縫巾です。

2. このゲージ・パーツ表に記載されている押エ(組)は、押エ本体ピン200796、押エ200734、押エ爪200735A、押エ爪止ネジ1231、押エ補助パネ200729A、押エ補助パネ止ネジ1229、(使用数各1)の全機種共通パーツと、

DC-MS230, (200731) には押工本体200733が組合されています。

 DC-MS220,
 (200730)
 \* 200732
 \*

 DC-MS205,
 (202120)
 \* 202121
 \*

 DC-MS250,
 (202086)
 \* 202101
 \*

3. 針棒(組)は針棒141122、針止ネジ5292(使用数2)の全機種共通パーツと、

DC-MS230, (700711) には針株700713が組合されています。

Model	Gauge (Needle gauge × Seam width)	Threads used for overlock stitch.	Page	Ref. No.	Model plate	Page	Ref. No.	Needle plate	Page	Ref. No.	Feed dog (Plain feed)	Page	Ref. No.	Main feed dog	Page	Ref. No.	Differ- ential feed dog
形式	ゲージ(mm) (針巾×縫巾)	オーパーロック側 使 用 糸	頁	参照	形式板	頁	参照番号	針板	頁	参照番号	送 リ 歯 (1枚送リ)	頁	参照番号	主送り歯	Ą	参照番号	差 動送り歯
DC- MS 230 I	3 mm×3 mm	カタン糸又ハウーリー糸 Cotton or Woolly yarns	26	1	202097 302073	26	9	200715A	27	23	200723A						
,	,	綿 糸 Soft(Spool)	,		,		10	200949	*	,	,						
	4	カタン糸 又ハウーリー糸 (2 本糸) Cotton or Woolly yarn (2-thread machine)	*	4	,		11	200953	*	"						1	
DC- MS 220	2 mm×3 mm	カタン糸又ハウーリー糸 Cotton or Woolly yarn	26	2	202096	26	12	200714A	27	23	200723A						
*	,	綿 糸 Soft(Spool)	,	*	,	,	13	200948		,		/		$\overline{/}$			
	,	カタン糸 又ハウーリー糸 (2 本糸) Cotton or Woolly yarn (2-thread machine)	,	,	,	,	14	200952	*		*						
DC- MS 205	0, 5mm×3mm	新 Soft (Spool)	26	3	202098 202096	26	15	202123	27	23	200723A						
DC- MS 250	5 mm × 3 mm	新 条 Soft (Spool)	26	4	202099 <del>202091</del>	26	16	202085	27	23	200723A						

### IN ORDERING ORGANIZATION PARTS

This List contains the Organization Parts for each machine model and gauge (needle gauge x overlock seam width), and enables you to know necessary parts for repairs or converting your machine to another model or gauge. And the models in BLOCK type are the standard machines of DC-MS series.

All presser foots (complete) shown on this List consist of a PRESSER FOOT BODY with each needle gauge (List I) and the common parts to all models of DC-MS series (List II).

PRESSER FOOT BODY PRESSER FOOT (COMPLETE) Parts No.200733 . . for Parts No.200731 of model DC-MS230 .

PRESSER FOOT BODY PRESSER FOOT (COMPLETE) Parts No.202121 . . for No.202120 of model DC-MS205

No.202101 . . for No.202086 of model DC-MS250

No.200732 . . for No.200730 of model DC-MS220

- List II -

THE COMMON PARTS TO ALL MODELS Parts No.200796 (Presser foot body pin)

No.200734 (Presser foot body bracket)

No.200735A (Presser foot chaining-off finger)

Parts No.1231 (Presser foot chaining-off finger screw) No.200729A (Presser foot spring) No.1229 (Presser foot spring screw)

All needle bars (complete) in this List consist of NEEDLE BAR (No.141122), 2 pieces NEEDLE CLAMP SCREWS (No.5292) and the following NEEDLE CLAMP with each needle gauge,


NEEDLE CLAMP

Parts No.200713 . . for No.200711 of model DC-MS230 No.200712 . . for No.200710 of model DC-MS220

Parts No.202118 . . for No.202119 of model DC-MS205

 $No.202084\ldots$  for No.202100 of model DC-MS250

Page	Ref. No.	Needle bar (com- plete)	Page	Ref.	Right	Page	Ref.	Left looper	Page	Ref. No.	Double chain- stitch looper	Page	Ref. No.	Presser foot (com- plete)	Page	Ref. No.	Upper knife	Page	Ref. No.	Lower knife
頁	参照	針棒(組)	頁	参照番号	大ルーパー	頁	参照番号	<b>ルーパー</b>	頁	参照番号	二重環ルーパー	頁	<b>参</b> 照 番号	押工(組)	頁	参照	上メス	頁	参照番号	下メス
27	26	200711	27	30	137301	27	33	137302	27	34	200785	27	36	200731	27	40	138559	27	41	137562
"	"	*	*	, ,	*	".	11	•	,	"	"	"	,,	*	, ,	*	,	*	*	*
*	,	,	27	32	139301	,	,	,	,			"	*	*	,, .	,	*	*	*	,
27	27	200710	27	30	137301	27	33	137302	27	34	200785	27	37	200730	27	40	138559	27	41	137562
*	,	,	*	,	*	,	*	4	,	,			,,	,	,	,	*	*	,	"
*	,	*	27	32	139301	*	,	,	*	,	,	,	"	,	,	,,	,	"	*	,
27	28	202119	27	30	137301	27	33	137302	27	35	202133	27	38	202120	27	40	138559	27	41	137562
27	29	202100	27	31	200340	27	33	137302	27	34	200785	27	39	202086	27	40	138559	27	41	137562



### ACCESSORIES 付属品

Re	f. No.	Parts No.	Name	名 称_	Qt.
	番号	部品番号			数量
		200472	Cloth guide, complete with 138905, 2193, 137142, 200668, 1202 & 137906	定規台(組)138905, 2193, 137142, 200668, 1202, 137906ノ組	1
	1	138905	" guide bracket	"	1
	2	2193	" " screw	〃 止ネジ	1
		z <del>134142</del>	washer	· · · · · · · · · · · · · · · · · · ·	1
	4	200668	,, guide	定規	1
-	5	1202	" screw	〃 止ネジ	1
	6	137906	" washer	<b>〃 〃 座金</b>	1
	7	202014A	Oil pan set hook	オイルパン足金	4
	8 490.	5 <del>-5019-</del>	wood screw	<b>ル 据</b> 付用木ネジ	4
	9	137142	" " washer	〃	4
	10	138559	Upper knife (for exports only)	上メス(貿易用)	1
	11	137562	Lower knife (" " ")	下メス( 〃 )	1
	12	$DC \times 1$	Needle	<b>≇</b> †	10
	13	DM×13	Needle	"	10
	14	126	Treadle chain	鎖	1
1	15	127	Screw driver (large)	ドライバー(大)	1
	16	128	" (medium)	<b>》</b> (中)	1
	17	129	" (small)	<b>》</b> (小)	1
	18	179	Allen wrench	ソケットスクリュー用ドライバー	1
	19 19'	131	Tweezers	ピンセット ピンレンチ(3.2mm用)	1
	19'	182		ト°ンレン子(3.2mm 円)	1
100	20 29	6 130A-9.5	Wrench (9.5mm)	スパナ 9.5mm	1
		34 <del>130A-7</del>	" (7.0mm)	/ 7 mm	1
		3 130A-6	" (6.0mm)		1
		130A-4	" (4.0mm)	/ 4 mm	1
	24	135A	Oil funnel	ジョウゴ	1
	25	132	Oiler	油差シ	1
	26	133	Oil container (500cc)	油缶 (500cc入)	1
		245 121	Treadle, complete	靴(組)	1
		290		糸 立(編) (5本世用)	71
		470	The second secon	糸立(紅) (5本立用) (1979年11月より品番が371に変更対はす。	)
			· · · · · · · · · · · · · · · · · · ·	וויישווו אלי שוני וויישונים ויישונים וויישונים	

### NUMERICAL INDEX OF PARTS 部 品 番 号 索 引

Parts No. Page 部品番号 頁	Ref. No. 参照番号	Parts No. 部品番号		f. No. 番号	Parts No. 部品番号		Ref. No. 照番号	Parts No. 部品番号		kef. No. 照番号	Parts No. 部品番号		Ref. No.
70-1 5 124 31 126 31 127 31 128 31 129 31	27 27 14 15 16	1234 1281 1326 1326	21	3 2 23 14	3044 3044 3044 3044 3044 3056	7 11 15 15 23	29 38 10 19	101111 101111 101111 101111 101113 101113	5 7 7 11 7	45 35 42 35 33 40	139301 140402 141105A 141122 141122 141122	29 13 5 5 28 29	32 14 49
284 <del>180A-9.5</del> 31 284 <del>180A-7</del> 31 283 <del>180A-6</del> 31 221 <del>130A-4</del> 31	20 21 22 23	1457 1457 <del>1457</del> 1457	5 5 5	11 13 36 25	3056 3056 3091 3091	7 11 9	39 33 28 15	137142 137008 137011 137101	31 23 23 5	3 2 7 29	167072 167077 192070 193174	11 11 5 .23	36 34 26 22
131 31 132 31 133 31 135A 31 179 31 1132 15 1156 9 1156 13	19 25 26 24 18 33 11	1457 1457-1 1457-1 1458 1459 1732 1817-2A	9 11 15 17 5	10 47 17 8 13 38 46	3092 3144 4009-1 4009-1 4009-1 4009-1 5001 5002	9 23 3 19 25 71 13 11	29 5 21 2 25 9 9	137104 137106 137114 137115 137121 137123 137130 137130	7 7 7 7 7 5 5	30 38 41 34 5 35 3	200033 200034 200037	5 5 5	1 10
1170 9 1170-3 5	3 21	1817-2A 1817-2A 1936A 35 <del>2022</del> 2022 2022	7 7 3 5 9	36 43 15 8	5002 5002 5003 5010 5010	11 13 13 5 7	9 2 3 4 4	137140 137141 137142 137142 137142	15 15 7 7 13 15	1 4 37 44 8	200119 200120	17 17	2 3
1174 9 1174 15 1175-2 13 1175-2 23 1175-2 25	22 22 3 15	2022-3 2022-3 2022-3 2022-4 2022-4 2022-4	3 7 13 5 7		5012 705 5019 225 5023 5025 5025 5051 5052	23 23 21 21 21 3 3	21 8 19 13 32 24 25	137142 137142 137142 137143 137145 137146 137147	23 27 15 15 15 15	13 26 9 6 15 14 20	200136 200136 200136 200136 200137 200137	19 19 19 19 19 19	8 3 14 15 4 12 5
1175-3 11 1186 5 1186 11 1186 13 1196 5 1196 7 1196 7 5317 1198 11	28 25 6 6 23 13 25 21	2022-4 2133 2133-1 2193 2213 2213-1 2213-1 2213-1	15 15 31 15 15 5 7	16 2 5 2 2	5053 5053 5056 5058 234 <del>5060</del> 5061 5064 5064	7 13 15 3 17 5 9 9	23 20 7 9 7 39 31 39 23	137301 137301 137302 137302 137307A 137409 137417 137419	7 29 7 29 7 7 7 13 13	12 30 22 33 14 10 12 15 7	200162A 200168 200168 200169 200170 200172 200174 200174 200184	23 21 23 23 23 23 23 23 21 23	16 10 13 12 14 18 21 29
1196 21  1202 5  1202 9  1202 9  1202 21  1202 31  1216 5  1216 7  1216 9  1216 23	41 33 35 45 6 5 30 31 6	2237 2285 2308 2366-2 2368 2370 2371 2419 2905	13 15 15 15 23		5064 5065 5069 5070 5113 5132 5133 5134 329 5138	19 15 15 15 19 3 3 17 21	26 41 45 42 20 3 4 5 22 24	137442-1 137552 137552 137553 137554 137558 137560 137562 137562 137562	13 15 15 15 15 15 15 15 15 29 31	17 19 2 26 38 36 35 34 43 41 11	200186 200187A 200204 200211 200260 200265	23 21 11 3 23 5	7 37 6 34 7
1216 25 1216 21 1222 5 1222 15 1229 28 1229 29 1231 28 1231 29 1234 5 1234 9	30 4 19 37	· 2905 2913-1 2918 2922 2924 3018 3018 3044	3 11 7 19 2 9 2 15 2 2	17 10 3 16 29 25 24 18	5138B 5224 5229 5229 5259 5292 5292 5293 9070-2	17 15 28 29 15 5 9 17 5	20 31 39 32 37 15 28	137563 137906 137950 138555A 138555-1 138556 138559 138559 138559 138905	15 31 3 15 15 15 15 29 31	29 30 32 28 40 10	200322 200340 200389 200389 200396 200398 200400 200401 200472	13 29 3 5 9 9 9 9	10 31 12 9 22 26 24 21

													1		
	Parts No.	Page	Ref. No.	Parts No.	Page	Ref. No.	Parts No.	Page	Ref. No.	Parts No.	Page	Ref. No.	Parts No.	Page 1	Ref. No.
	部品番号		参照番号	部品番号		参照番号	部品番号		参照番号	部品番号		参照番号	部品番号	頁	8照番号
	Dhnn FL 12		>/// E / J			1.			40	000070	10	28	202176	7	19
				200725A	15	25	200795A	9 28	43	202079 202081	19 9	4	202176	9	17
	200503	13	1	200726 <b>A</b>	15	40	200796 200796	29		202081 202082B	2		202176	11	12
	200531	5	22	200729A	28		200796 200798B	9	41	202083A	9	5	202176	11	23
,	200534	5	5	200729A	29 28		200799B	9	36	2020834	28	J	202176	11	31
	200605	3	11	200730 200730	29		20079915	7	15	202084	29		202176	13	24
	200607	3	11	200730 200 <b>73</b> 0	29	37	200948	28	13	202085	28	16	202176	19	21
	200618	7	8	200730	15	11	200949	28	10	202086	28		202176	19	24
	200620 200621A	7	26	200731	28	11	200343	28	20	202086	29		202176	19	27
	200621A 200622A	7	27	200731	29		200051	28	18	202086	29	39			
	200022A	1	21	200751	20		200002	20	20			- •			
	200623A	7	28	200731	29	36	200952	28	14	202087A	17	21	202177	5	18
	200624	7	17	200732	28		200953	28	11	202087A	2	5	202179	7	20
	200625	7	18	200732	29		201035A	5	42	202088	13	16			
	200627	13	23	200733	28		201037	5	43	202090-	28	3			
	200628	13		200733	29		201039	5	44	202091	28	4	202199	19	6
3044	200029	13		200734	28		201139	17	9	202100	28		202278	5	47
100000	200631	15	21	200734	29		202001	3		202100	29		202757 <b>A</b>	11	22
	200632	11	24	200735	28		202006	3	15	202100	29	29	202903	19	18
	200632	19	19	200735	29		202007	3	23	202101	28				
	200633	3	17	200737	11	5	202008	21	8	202101	29		DC×1	5	33
						<b>\</b>				'					
	200640A	23	9	200737	13	5	202010	5	12				DC×1	31	12
	200641	2	<b>3</b> 24	200741	11	15	202012 <b>A</b>	17	1				DM×13	5	34
-	200652	5	14	200742	9	18	202013	17	4				DM×13	31	13
	200653	5	16	200742	11	13	202014A	31	7				202045	3	5
	200654	5	17	200742	11	32	202015	17	6				1920	5	27
	200655	5	20	200743	21		202016	17	8	1			200821	5,7	4,5
	200664	3	22	200744	21		202017	17	11				202184	5	50
	200668	31	4	200745	23		202019	3	26 17						
	200670A	21		200746	23		202021	17	18				200769	11	-1
	200671	2	16	<del>-200747</del>	2.	)	202022A	17	18	V /			3044	13	
	000000	-	10	000740	01.00	,	202022	17	19				205763	19	8.
	200672	21		200748	21 23		202023	3	18				202028A		å
	200673	21		200749	21 23		202024	3	19				200140A		10
	200697	2		200750 200751	21 23		202026	3	20				202185	21	5'
-	200697	19	10	200751	23 2		202027	19	1	202118	28		137142	21	25
	200000	19	9	200756	9	7	202028 <b>A</b>	19	7	202118	29		200638	23	25
	200703	3	8	200757	9	9	202032	19	11	202119	28		202097	23	6
	200703	3	13	200758	9	10	202033	19	13	202119	29		200173	23	
	200709	5	24	200759	9	12	202034	19	16	202119	29	28	200961	23	17 28
	200710	28	24	200760	9	14	202035A	19	17	202120	28		200862	23	20
	200110	20											200002	25	
	200710	29		200761	9	15	202040	19	25	202120	29		149010	23	
	200710	29	27	200767	9	27	202044A	17	22	202120	29	38	202188	23	
	200711	5	31	200769	11	- 1	202046	3	2	202121	28		137911	23	
	200711	28		200770	11	7	202047	11	4	202121	29		202097	28	
	200711	29		200771	11	8	202047	13	4	1 4			202096	28	
	200711	29	26	200772	11	10	202048	17	12	202123	28	15	202098	28	
	200712	28		200773	11	11	202049A	17	14				137142	31	
	200712	29		200773	11	14	202050	2					290	3	10/
	200713	5		200775	11	16	<del>202051</del>	3	5				182	31	19
	200713	28		200776	11	18	202058	17							
	E					00	000000	17	16	1				1	
	200713	29		200777	11	20	202066	17	16						
	200714A	28	12	200779	11	26	202070	3	1	202133	29	35			
	200715A	5	37	200780	11	27	202071	3	2	202133	23	30			
	200715A	28	9	200781	11	29	202072	28	2	202135	7	7	,	_	
	200716	5	40	200782	9	30	202073	23		202135	9	34			
	200717	7	24	200783A	. 2		202079	28	1 7	202136	9	40			
	200718	7	45	200785	9	32	202074 202075A	3 3	1	202137	9	19			
	200719	9	46	200785	29	34	202075A 202076	9		202136	19	30			
	200723A	13	21	200787A	9	38 44	202076 202077A	9	1	202176	7	9			
	200723A	28	23	200793	9	44	LUZUITA	3	•	1 ,202110	•	•	'		

