
SEIKO

パーツリスト PARTS LIST

LPWN-8BL-2






SEIKO SEWING MACHINE CO., LTD.


目次 CONTENTS

CONTENTS	
面板、裏板 FACE PLATE, ARM COVER (REAR)	Page 1, 2
上板 ARM TOP COVER	3, 4
天秤、上軸、プーリー THREAD TAKE-UP LEVER, ARM SHAFT, MACHINE PULLEY	5, 6
押え棒、中押え棒 PRESSER BAR, VIBRATING PRESSER BAR	7, 8
針棒土台、連結ロッド NEEDLE BAR ROCK FRAME, ROCK SHAFT CRANK CONNECTION	9, 10
大弓、押え棒大板ばね KNEE LIFTER LIFTING LEVER, PRESSER BAR SPRING	11, 12
下軸、下ベルトプーリー、送りカム HOOK DRIVING SHAFT, SAFETY CLUTCH PULLEY, FEED DRIVING ECCEN	13, 14 ITRIC
送り土台、送り軸 FEED BAR, FEED DRIVING ROCK SHAFT	15, 16
バックレバー、送り調節機構 FEED REVERSE LEVER, FEED REGULATING MECHANISM	17, 18
針板、針板土台 THROAT PLATE, THROAT PLATE BASE	19, 20
かま土台、かま HOOK SADDLE, HOOK	21, 22
調子板 TENSION BRACKET	23, 24
潤滑 LUBRICATION	25, 26
糸巻き BOBB IN WIN DER	27, 28
付属品1 ACCESSORIES 1	29, 30
付属品2 ACCESSORIES 2	31, 32
オプション OPTION	33, 34



面板、裏板 FACE PLATE ARM COVER (REAR)


IM	E PLATE	., A	RM COVER (REAR)	
	部品番号	員数		
No	PARTS No	QTY	品名	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33	40102 15037 15039 15039 15039 40106 8040 40105 15037 15039 15039 15039 40104 30066 40100-02 18065 90625 40100-03 18065 90625 11004 15086 10597 8040 11142 40118 40118 30046 40266 37509 BS20345	1 1 2 1 3 3 1 4 1 1 2 1 3 3 1 1 1 1 2 2 1 2 2 1 1 1 1 1	面面面面面を表裏裏裏裏裏裏上上大土土小小小油油油油油アアアアアアアアアアアアアプププププププーのおめの合合合はあれるが、は、は、は、は、は、は、は、は、は、は、は、は、は、は、は、は、は、は、は	FACE PLATE FACE PLATE SPRING SCREW 1/8X44 L=3.5 HINGE SCREW 1/8X44 L=3.5 ARM COVER (REAR) (SMALL) SCREW 9/64X40 L=8.0 ARM COVER (REAR) (LARGE) ARM COVER (REAR) (LARGE) SCREW 1/8X44 L=3.5 HINGE SCREW 1/8X44 L=3.5 SCREW 1/8X44 L=3.5 SCREW 1/8X44 L=3.5 GASKET SCREW 1/8X44 L=3.5 GASKET SCREW M5X0.8 L=12 P/B SPRING REGULATING SCREW BRACKET SCREW M5X0.8 L=14 WASHER KNEE LIFTER CONNECTING LEVER BRACKET SCREW M5X0.8 L=14 WASHER OIL CONTROL SPRING SCREW 1/8X40 L=3.3 SCREW 9/64X40 L=8.0 WASHER RUBBER RUBBER RUBBER RAFTH WIRE SCREW M4X0.7 L=4 ARM SIDE COVER (REAR) SCREW M5X0.8 L=6.0 RUBBER



上板 ARM TOP COVER


AIVI	M TOP C	UVEN		
	部品番号	員数		
No	PARTS No	1000 1000		DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	40103 11007 15058 15059 15057 15061 8009 11006 13076-02 40118 40119 40123 27174 31208 10682 10685 10759-A 10760 10685 15038 40118	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	上油給給給給 と上上上下天面面面面面上上板 の 部 が いっぱい かん と 20) と ない かん	ARM TOP COVER OIL LEVEL INDICATOR OIL REGULATING STUD OIL REGULATING STUD SPRING OIL REGULATING DIAL PIN SCREW 15/64X28 L=7.5 ARM TOP COVER THREAD GUIDE NUT RUBBER CAP RUBBER CAP THREAD TAKE-UP LEVER COVER SCREW M4X0.7 L=10.0 SPRING WASHER THREAD GUIDE (UPPER) SCREW 3.4X36 L=6.5 THREAD GUIDE (LOWER) FELT SCREW 3.4X36 L=6.5 RUBBER CAP RUBBER CAP

天秤、上軸、プーリー THREAD TAKE-UP LEVER, ARM SHAFT, MACHINE PULLEY




天秤、上軸、プーリー THREAD TAKE-UP LEVER. ARM SHAFT. MACHINE PULLEY

1111	LAU IAI	(E-U	<u>P LEVER, ARM SHAFT, MACH</u>	TINE PULLEY
	部品番号	昌数		J.
No	PARTS No		品名	DESCRIPTION
	15209 11042 10506 19414 19415—A 19416 19417 19418 18003 15026 15013 10528 10523 10728 11042 10726 15038 10524 18006 10725 10563 10524 10551 10650 19427 19508 10772C 10772 10773 11879 10573 10574—G 10574—G 10574—G 10574—10576 10568 40134 10571—10567 40133 23637 10568 40134 10577	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	上上上ク位止針針天天天針針天天針油天上上上上天天中中上上上中中ペペペペタ糸糸上上上上プププププローーー はいいいいけい にいいいいけい にいいいいけい にいいいいけい にいいいいけい にいいいいけい にいいいいけい にいいいいけい にいいいいいけい にいいいいけい にいいいいいけい にいいいいいけい にいいいいけい にいいいいけい にいいいいいけい にいいいいいけい にいいいいいけい にいいいいいけい にいいいいいけい にいいいいい はいいいいけい にいいいいいけい にいいいいい はいいいいい はいいいいけい にいいいいい はいいいいけい にいいいいい はいいいいい はいいいいい はいいいいい はいいいい はいいいいい はいいいい はいいいい はいいいいい はいいいい はいいいい はいいいい はいいいい はいいいい はいいいいい はいいいい はいいい はいいいいい はいいい はいいいい はいいいい はいいい はいいいい はいいいい はいいい はいいいい はいいいい はいいいい はいいいい はいいいい はいいいい はいいいい はいいいいいい	ARM SHAFT OIL WICK OIL STOP SCREW 7.85X20 L=6.0 NEEDLE BAR CRANK POSITION SCREW 1/4X28 L=21.4 SET SCREW 1/4X28 L=14.0 SET SCREW (LONG) 1/4X28 L=6.5 SET SCREW (SHORT) 1/4X28 L=4.5 THREAD TAKE-UP LEVER DRIVING STUD THREAD TAKE-UP LEVER DRIVING STUD NEEDLE BAR CONNECTING LINK NEEDLE BAR CONNECTING LINK NEEDLE BAR CONNECTING LINK STUD OIL WICK OIL WICK OIL WICK OIL WICK OIL WICK OIL FELT WASHER SET SCREW 6.75X24 L=6.5 ARM SHAFT BUSHING (FRONT) OIL FELT WASHER SET SCREW 6.75X24 L=6.5 THREAD TAKE-UP LEVER OIL GUARD SCREW 3.4X36 L=6.0 LIFTING ECCENTRIC (ECC. 4.0) SET SCREW 1/4X40 L=5.5 LIFTING ECCENTRIC CONNECTION NEEDLE BEARING LIFTING ECCENTRIC CONNECTION NEEDLE BEARING LIFTING ECCENTRIC COLLAR SET SCREW 7/32X32 L=11.0 ARM SHAFT CONNECTING BELT PULLEY BELT PULLEY SPRING FLANGE SET SCREW 6.75X24 L=20.0 POSITION SCREW 6.75X24 L=14.5 POSITION SCREW 6.75X24 L=20.0 MACHINE PULLEY POSITION SCREW 1.564X28 L=20.0 MACHINE PULLEY POSITION SCREW 1.564X28 L=20.0 MACHINE PULLEY POSITION SCREW 1.564X28 L=20.0 MACHINE PULLEY ADJUSTING SCREW 6.75X24 L=11.0




押え棒、中押え棒 PRESSER BAR, VIBRATING PRESSER BAR

1111	SOLK DE	۱۱۲,	VIBRATING PRESSER BAR	
	部品番号	員数		
No	PARTS No	QTY	品名	DESCRIPTION
3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 32 4 25 26 27 28 29 30 31 32 33 34 45 46 47 48	10540 10539-A 10761 10538 10761 10541 10662 10543 10761 18479 19518 10546-A 10547 13360 13365 40407 10660 10796-S 10749 10677 19470 10558C 10558 10557 10556 15118 18480 10548-A 15111 10519 17610 10554 10553-A 15060 10795-E 10662 19425 10795-E 10662 19425 10778 10778 10778 10778 10778 10778 10778 10778 10778 10774 10774 17114 17114 17114 17114	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	押押押押押押押押押押押押押押押押押押押押押押押押押押押押押押押押押押押押押	PRESSER BAR PRESSER BAR BUSHING (LOWER) SET SCREW 6.75X24 L=11.0 PRESSER BAR BUSHING (UPPER) SET SCREW 6.75X24 L=11.0 PRESSER BAR POSITION GUIDE BRACKET SET SCREW 6.75X24 L=11.0 PRESSER BAR POSITION GUIDE SET SCREW 6.75X24 L=11.0 PRESSER BAR POSITION GUIDE SET SCREW 6.75X24 L=11.0 PRESSER BAR LIFTING BRACKET PINCH SCREW 11/64X40 L=14.0 TENSION RELEASE SLIDE TENSION RELEASE THING PRESSER BAR SPING PRESSER BAR LIFTER HINGE SCREW 4.5X32 LIFTING PRESSER FOOT SCREW 3.4X36 WASHER FINGER GUARD LIFTING BELL CRANK COMP. LIFTING BELL CRANK LINK VIBRATING PRESSER BAR CONNECTING LINK VIBRATING PRESSER BAR CONNECTING LINK VIBRATING PRESSER BAR SLIDE BLOCK LIFTING BELL CRANK SCREW 11/64X40 L=8.0 P/B, LIFTING BRACKET GUIDE BLOCK POSITIONING PIN SCREW 6.75X24 L=17.5 VIBRATING PRESSER BAR VIBRATING PRESSER FOOT COMP. VIBRATION PRESSER FOOT COMP. VIBRATING PRESSER FOOT COMP. VIBRATION PR




針棒土台、連結ロッド NEEDLE BAR ROCK FRAME, ROCK SHAFT CRANK CONNECTION

NEE	DLE BAR	₹ R0	CK FRAME, ROCK SHAFT CRA	ANK CONNECTION
	部品番号			DECORIDE ON
No	PARTS No		品名	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 31 32 33 34 34 35 36 36 37 37 38 37 38 37 38 37 38 37 38 37 38 37 38 38 38 38 38 38 38 38 38 38 38 38 38	15110-A 11875 10525 15117 8100 15031 34037 15007 10728 16703 19426 13365 10726 15089 B140553 N0124 10578 11876 10581 40310 34022 10728 40405 10519 34023 8105 15019-A 10754 34024 34025 50155 10778 10779	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	計画・	NEEDLE BAR ROCK FRAME HINGE STUD SET SCREW 6.75X24 L=9.0 SLIDE BLOCK PLATE SCREW 9/64X40 L=6.5 OIL WICK NEEDLE BAR ROCK FRAME POSITION BRACKET SCREW 9/64X40 L=10.0 OIL WICK NEEDLE BAR NEEDLE BAR CONNECTING STUD PINCH SCREW M4X0.7 L=9.0 OIL WICK NEEDLE BAR THREAD GUIDE NEEDLE SET SCREW 1/8X40 L=4.5 NEEDLE DPX17 #24 NEEDLE BAR ROCK FRAME ROCK SHAFT SLIDE BLOCK COMP. SLIDE BLOCK STUD SCREW 7/32X32 L=7.0 ROCK SHAFT CRANK CONNECTION ADJUSTING SCREW 9/64X40 OIL WICK ROCK SHAFT CRANK PINCH SCREW 6.75X24 L=17.5 HINGE SCREW 9/32X28 NUT 9/32X28 NUT 9/32X28 FEED ROCK SHAFT CRANK PINCH SCREW 6.75X24 L=16.0 HINGE SCREW 5/16X28 FEED ROCK SHAFT CRANK PINCH SCREW 6.75X24 L=16.0 HINGE SCREW 5/16X28 FEED ROCK SHAFT CRANK PINCH SCREW 6.75X24 L=16.0 HINGE SCREW 5/16X28 FEED ROCK SHAFT CRANK PINCH SCREW 6.75X24 L=16.0 HINGE SCREW 5/16X28 FEED ROCK SHAFT CRANK PINCH SCREW 6.75X24 L=16.0 HINGE SCREW 5/16X28 FEED ROCK SHAFT CRANK PINCH SCREW 6.75X24 L=10.0




大弓、押え棒大板ばね KNEE LIFTER LIFTING LEVER, PRESSER BAR SPRING

LINI	E LIFIE	K LI	FIING LEVER, PRESSER BA	AK SPKING
	部品番号	員数		
No	PARTS No	QTY	品名	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19	10710 40121 40122 13059 11154 40108 10712 40304 15076 40110-01 4135 10714 12421 40111 10706 40117 10636 LP2TR-001 LP2TR-002	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	大大大弓弓小小吊吊吊吊吊押押押大大大大弓弓小小吊吊吊吊吊押押押大大大大弓弓小小吊吊吊吊吊吊押押押大大大大弓弓が出れる は じょうしょう はい いい	KNEE LIFTER LIFTING LEVER KNEE LIFTER LIFTING LEVER BRACKET HINGE SCREW SPRING SCREW 6.75X24 KNEE LIFTER CONNECTING LEVER HINGE SCREW KNEE LIFTER CONNECTING LEVER LIFTING ROD PIN CONNECTING LEVER LIFTING ROD EXTENSION ROD NUT M5X0. 8 LIFTING ROD COLLAR SET SCREW 11/64X32 L=4.0 PRESSER BAR SPRING (FLAT) PRESSER BAR SPRING (FLAT) PRESSER BAR SPRING (FLAT) SUPPORT SCREW PRESSER BAR SPRING (FLAT) REGULATING SCREW NUT 6.75X24 PRESSER BAR SPRING (FLAT) SUPPORT PLATE PRESSER BAR SPRING (FLAT) SUPPORT COLLAR




下軸、下ベルトプーリー、送りカム HOOK DRIVING SHAFT, SAFETY CLUTCH PULLEY, FEED DRIVING ECCENTRIC

		1	EI, FEED DRIVING EGGENIRIG
部品	番号 員数	数	
No PART			DESCRIPTION
1 1215 2 1078 3 1057 4 1108 5 1063 6 1065 7 1063 8 1076 9 1063 10 1213 11 1052 12 1072 13 4042 14 1411 15 1404 16 1502 17 1062 18 1063 19 1076 20 1067 21 1067 22 1067 23 3015 24 1057 25 1060 27 1065 28 1056 29 1056 30 1060 31 1061 32 1057 33 1061 34 1062 35 1061 37 1061 38 1058 39 1061 34 1062 35 1061 37 1061 38 1058 41 1061 42 1061 43 1061 44 1061	2	下下送送大大大下下下送送送止爪爪爪爪押止押下下溝下下下下下下下下下下下下下下下下下下下下下下下下下下下下下	HOOK DRIVING SHAFT HOOK DRIVING SHAFT BUSHING (FRONT) SET SCREW 6.75X24 L=20.0 OILING FELT FEED LIFTING CAM COMP. SET SCREW 1/4X32 L=5.5 HOOK DRIVING GEAR SET SCREW 1/4X32 L=7.0 POSITIONING SCREW 1/4X32 L=8.0 HOOK DRIVING SHAFT BUSHING (MIDDLE) SET SCREW 6.75X24 L=6.5 OIL FELT FEED DRIVING ECCENTRIC POSITION SCREW 1/4X28 L=6.7 SET SCREW 1/4X28 L=9.4 RETAINING RING HOOK DRIVING SHAFT LOCK RATCHET POSITION SCREW 1/4X32 L=8.0 SET SCREW 1/4X32 L=7.0 LOCK STUD (SMALL) CLIP LOCK STUD SPRING HOOK SHAFT BALL BEARING ADAPTER SET SCREW 6.75X24 L=20.0 SCREW 3.4X36 L=5.0 HOOK SHAFT BALL BEARING COLLAR POSITION SCREW 1/4X32 L=5.5 SET SCREW 1/4X32 L=5.5 HOOK SHAFT BALL BEARING BALL BEARING RETAINING WASHER SAFETY CLUTCH PULLEY PULLEY SPRING FLANGE SAFETY CLUTCH THROW—IN LATCH PIN SAFETY CLUTCH THROW—IN LATCH SPRING SAFETY CLUTCH LOCKING LEVER SPRING SAFETY CLUTCH LOCKING LEVER SPRING SAFETY CLUTCH LOCKING LEVER SPRING SAFETY CLUTCH COLLAR SCREW 7/32X32 L=7.0 HINGE STUD SAFETY CLUTCH COLLAR SCREW 1/4X32 L=10.5




送り土台、送り軸 FEED BAR, FEED DRIVING ROCK SHAFT

LEI	D BAK,	FEE	D DRIVING ROCK SHAFT	
	部品番号	200		
			Michigan - May 2017	
No 15 16 17 18 19 20 21 24 25 26 27 30 31 32 33 34 35 36 37 38 39 40 51	12130C 12130 10595 10596 10597 70129-A 10599 16704 18065 16705 16706 40423 10588 10525 11068 200347 10593 10764 10763 10571 11068 200347 10593 10764	QTY 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	送送コココココス送送送送送送送送送送送送送送送送送送送送送送送送送送送送送送	DESCRIPTION FEED BAR COMP. FEED BAR FEED LIFTING ECCENTRIC FORK OILING FELT SCREW 1/8X40 L=3.3 FORK SCREW 7/32X32 L=12.5 WASHER FEED DRIVING ROCK FRAME PINCH SCREW M5X0.8 L=14.0 FEED BAR HINGE SCREW NUT 1/4X28 FEED DRIVING ROCK SHAFT FEED DRIVING ROCK SHAFT FEED DRIVING ROCK SHAFT BUSHING (FRONT) SET SCREW 6.75X24 L=9.0 LINER LINER SET SCREW 6.75X24 L=11.1 FEED DRIVING ROCK SHAFT COLLAR (FRONT) SET SCREW 6.75X24 L=4.5 FEED DRIVING ROCK SHAFT BUSHING (BACK) SET SCREW 6.75X24 L=20.0 LINER LINER SET SCREW 6.75X24 L=11.1 FEED DRIVING ROCK SHAFT COLLAR (BACK) SET SCREW 6.75X24 L=4.5 HINGE SCREW 3/16X32 NUT




バックレバー、送り調節機構 FEED REVERSE LEVER, FEED REGULATING MECHANISM

	-D INLIFERIOR	LEVER, FEED REGULATING MECH	AITION
	部品番号 員数	ά l	
No	PARTS No QTY	品名	DESCRIPTION
27 28 29 30 31 32 33 34 35 36 37 38 39	40428	送送送ババババスススくババ下下二下メ止切切切切送送送送送がバババババススくババ下下二下メ止切切切切送送送送送がバババババススくババ下下二下メ止切切切切送送送送送のいいルルドド組プ 止 ララ組 ン (((ピーピルピーと)) が に が に が に が に が に が に が に が に が に が	FEED REVERSE LEVER PINCH SCREW 15/64X28 L=18.0 FEED REVERSE LEVER SHAFT FEED REGULATOR FEED REGULATING SCREW O-RING FEED REGULATING DIAL FEED REGULATING DIAL SCREW FEED REGULATING DIAL SCREW FEED REGULATING DIAL SCREW FEED REGULATING DIAL LOCK PIN FEED REVERSING CONNECTION ROD HINGE SCREW 6.75X24 FEED REVERSING SHAFT SPRING SPRING BRACKET SCREW 9/64X40 L=8.0 CHAIN HOOK FEED REVERSING SHAFT COLLAR SET SCREW 1/4X32 L=7.0 FEED DRIVING ECCENTRIC CONNECTION COMPLETE FEED DRIVING ECCENTRIC CONNECTION LINK HINGE PIN FEED REVERSING SHAFT CRANK PINCH SCREW 1/4X32 L=6.5 FEED REVERSING SHAFT CRANK PINCH SCREW 1/4X32 L=16.0 FEED REVERSING MECHANISM SUPPORT LINK CRANK HINGE STUD FEED ROCK SHAFT CRANK FEED ROCK SHAFT FEED ROCK S




針板、針板土台 THROAT PLATE, THROAT PLATE BASE

部品番号 員数 No PARTS No QTY	1111	TUAL PLATE,	THRUAT PLATE BASE	
1 14025 1 針板土台 THROAT PLATE BASE THROAT PLATE BASE SCREW WASHER THROAT PLATE BASE SCREW WASHER THROAT PLATE SUPPORT (FRONT)		部品番号員数		
2 12120 2 針板土台止めねじ THROAT PLATE BASE SCREW 3 12136 2 針板土台止めねじワッシャー WASHER 4 14022 1 針板受台(前) THROAT PLATE BASE SCREW THROAT PLATE BASE SCREW THROAT PLATE SUPPORT (FRONT)	No	PARTS No QTY	品名	DESCRIPTION
6 14023 1 針板受台(後) THROAT PLATE SUPPORT (REAR) 7 14024 2 針板受台(後)止めねじ SCREW 3/16X32 L=9.5 8 14029 1 カマカバー支え HOOK COVER SUPPORT 9 14013 2 カマカバー支え止めねじ SCREW 9/64X40 L=5.5 10 14021 1 針板 THROAT PLATE	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 31 31 31 31 31 31 31 31 31 31 31 31	12120 2 12136 2 14022 1 14024 2 14023 1 14024 2 14029 1 14013 2 14021 1 14013 2 14026 1 12128 1 12128 1 12129 1 6339 1 13076-01 1 10703 1 14030 1 10561 1 12127 1 12133 1 10545 4 14027 1 14013 4 10581 1 13076-01 1 12132 1 6031-01 1 14012 1 14013 2 14012 1	針針針針針針針針針針針送送送送送送送送送送送送送送送送送送送送送送送送送送	THROAT PLATE BASE SCREW WASHER THROAT PLATE SUPPORT (FRONT) SCREW 3/16X32 L=9.5 THROAT PLATE SUPPORT (REAR) SCREW 3/16X32 L=9.5 HOOK COVER SUPPORT SCREW 9/64X40 L=5.5 THROAT PLATE THROAT PLATE THROAT PLATE SCREW 9/64X40 L=5.5 FELT FEED PLATE SLIDE BLOCK COMP. FEED PLATE SLIDE BLOCK SCREW STUD FEED PLATE SLIDE BLOCK SCREW NUT 7/32 X 32 WASHER FEED DOG FEED DOG SCREW 11/64X32 L=6.5 FEED PLATE BASE SUPPORT THROAT PLATE BASE SUPPORT THROAT PLATE BASE SUPPORT SCREW 7.85X20 L=26.0 WASHER THROAT PLATE BASE SUPPORT SCREW 11/64X32 L=14.0 THROAT PLATE BASE COVER (LEFT) SCREW 9/64X40 L=5.5 FEED PLATE ADJUSTING SCREW NUT 7/32X32 BED SLIDE BED SLIDE BED SLIDE SCREW 11/64X40 L=9.0 THROAT PLATE BASE COVER (FRONT) SCREW 9/64X40 L=5.5 THROAT PLATE BASE COVER (FRONT) SCREW 9/64X40 L=5.5 THROAT PLATE BASE COVER (FRONT) SCREW 9/64X40 L=5.5 THROAT PLATE BASE COVER (FRONT)




HUC	K SADDL	Ŀ,	HOOK	
,,	部品番号			DECODIDION
No	PARTS No	QTY	品名	DESCRIPTION
21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37	14032 14008 14007 12110 12136 14006 14010 10657-B 10658 10767 14033	1 2 1 1 1 1 3 1	ボカ外糸糸針針内糸糸糸内内カ外カカカカカカカカカカカカカカカカカカカカカカカカカカ	BOBBIN HOOK COMP. HOOK (BODY) THREAD GUARD THREAD GUARD SCREW NEEDLE GUARD SCREW BOBBIN CASE (BODY) BOBBIN CASE TENSION SPRING BOBBIN CASE TENSION REGULATING SCREW SCREW UNF No. 4 × 40 HOOK GIB HOOK GIB SCREW HOOK GOVER COMP. RUBBER HOOK COVER SCREW 9/64 × 40 L=5.5 HOOK COVER SPRING HOOK COVER SPRING HOOK COVER SPRING SCREW 9/64 × 40 L=5.5 BOBBIN CASE OPENER FELT HOOK SADDLE HOOK SADDLE HOOK SADDLE SCREW 7.85 × 20 HOOK DRIVING SHAFT FELT HOOK DRIVING PINION (SPIRAL) POSITIONING SCREW 1/4 × 32 L=5.5 BOBBIN CASE OPENER FEST SCREW 1/4 × 32 L=5.5 BOBBIN CASE OPENER FELT HOOK DRIVING PINION (SPIRAL) POSITIONING SCREW 1/4 × 32 L=5.5 BOBBIN CASE OPENER FORK PINCH SCREW 11/64 × 32 L=9.0 FELT SCREW 9/64 × 40 L=5.5




調子板 TENSION BRACKET

<u> </u>	NO TON DE	MOIN	LI	
	部品番号	員数		
No	PARTS No	QTY	品名	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25	10689 10694 B118319 19534 40431C 10720 4221	1 1 2 1 1 4 2 2 2 2 1 2 1 1 1 1 1 1 1 1	調調糸第第第渦第糸糸渦ロロ糸糸糸糸糸糸糸二二ロ調糸油調調糸第第第第渦第糸糸渦ロロ糸糸糸糸糸糸二二ロ調糸油子部門の一番一調調子スレレ子のあるスス皿皿レ板の押りと、一大の大り、カー・スンスナーピーをリー・カー・カー・カー・カー・カー・カー・カー・カー・カー・カー・カー・カー・カー	TENSION BRACKET TENSION BRACKET PIN TENSION STUD TENSION STUD (FIRST) TENSION STUD (FIRST) TENSION STUD (FIRST) TENSION DISC (FIRST) TENSION SPRING TENSION THUMB NUT (FIRST) TENSION DISC TENSION DISC TENSION DISC PRESSER TENSION SPRING REGULATING THUMB NUT WASHER REGULATING THUMB NUT TENSION STUD TENSION RELEASING PIN TENSION RELEASING PLATE HINGE SCREW 9/64X40 THREAD CONTROLLER STUD THREAD CONTROLLER STUD THREAD CONTROLLER SPRING THREAD CONTROLLER DISC SCREW 3/32X56 L=6.0 THUMB NUT 7/32X32 TENSION BRACKET COMP. TENSION RELEASING PLATE ROD OIL WICK RETAINER
26 27 28 29 30 31		1 1 1 1 1 1	油芯押え止めねじ 糸引スプリング受け 糸引スプリング受けねじ 糸調子糸掛 大糸掛止めねじ 大糸掛止めねじワッシャー	SCREW 9/64X40 L=12.0 THREAD CONTROLLER SPRING STOPPER SCREW 3.4X36 L=6.0 THREAD GUIDE SCREW 11/64X32 L=14.0 WASHER




潤滑 LUBRICATION

LUBRICATI	<u>ON</u>		
部品番号	- 員数		
No PARTS No			DESCRIPTION
1 40305C 2 15087 3 6333 4 15511C 5 15509C 6 15508 7 6333 8 15088 9 6333 10 15097 11 6333 12 11085 13 11069 14 11106 15 15077 16 11108 17 11069 18 11071 19 11070 20 15034 C	1 1 1 1 1 1 1 1 1 1 4 2 2 1 1	品名 ビニールチューフ・(組) (アーム立 胴用) 押力・ス・ルチューフ・(組) (下軸前/中間メタル用) ビニールチューフ・(組) (下軸前/中間メタル用) ビニールチューフ・(組) (じ に 世 ルフ・ルー・ルー・ルー・ルー・ルー・ルー・ルー・ルー・ルー・ルー・ルー・ルー・ルー・	OIL TUBE & OIL WICK RETAINER SCREW 9/64×40 L=6.5 OIL TUBE AND OIL WICK OIL TUBE AND OIL WICK RETAINER SCREW 9/64×40 L=6.5 RETAINER SCREW 9/64×40 L=6.5 RETAINER SCREW 9/64×40 L=6.5 OIL STOP SCREW 7/16×28 OIL FELT OIL FELT BED OIL TUBE CLAMP SCREW 1/4×32 L=13.0 OIL FELT PACKING OIL STOP SCREW 7/16×28 OIL TUBE AND OIL WICK COMP.




糸巻き BOBBIN WINDER

DO.	DOTH WILL	IDLI		
	部品番号	員数		
No	PARTS No	QTY	品名	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 31 31 32 33 33 33 33 33 33 33 33 33 33 33 33	60571 B062400 B026040 40126 40125C 40125 40131 40124 B012400 40129 40127 BS25413 40128 B025080 B048060 BS23651 40137 27179 4135 BS51262 BS25478 B062680 35994 BS38736 BS38738 BS38737 B145446 10693 B108265 37229 40138 28206 11142	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	条糸糸糸糸糸糸糸糸糸糸糸糸糸糸糸糸糸糸糸糸糸糸糸糸 ・ は、 は、 は、 は、 は、 ない とききききききききききききききききききききききききききききききききききき	BOBBIN WINDER LEVER SCREW M4X0. 7 L=8.0 WASHER BOBBIN WINDER SHAFT BOBBIN WINDER SHAFT BOBBIN WINDER SHAFT BUSHING BALL BEARING BOBBIN WINDER SHAFT FRICTION WHEEL SET SCREW M4X0. 7 L=6.0 BOBBIN WINDER SHAFT FRICTION WHEEL RING BOBBIN WINDER SHAFT BUSHING SHAFT BOBBIN WINDER SHAFT BUSHING BRACKET BOBBIN WINDER SPRING WASHER RETAINING RING SET SCREW M6X0. 75 L=6.0 SPRING BOBBIN WINDER STOPPER M5X0. 8 L=30.0 NUT BOBBIN WINDER DUST GUARD KNIFE SCREW 11/64X10 L=6.0 PIN BOBBIN WINDER TENSION COMP. BOBBIN WINDER TENSION STUD BOBBIN WINDER TENSION STUD BOBBIN WINDER TENSION STUD BOBBIN WINDER TENSION SPRING \$\phi\$1.2 THUMB NUT SET SCREW M4X0. 7 L=5.0 RUBBER RHUMB NUT WASHER WASHER




付属品 1 ACCESSORIES 1

ACCESSORIES 1						
	部品番号	員数		1		
No	PARTS No	QTY	品名	DESCRIPTION		
1 5 6 7 8 9 10 12 13 14 15 16 17 18 19 21 22 23 24 25 26 27 28 29 30 31 32 35 36 37 38 39 40 41 42 43 44 45 55 56 56	8125 11193 19456 8124 35254 34795 36416 40433C 40433 B081007 B140518 34798 34802 36425-A 36426 34800 37313 1773 101520 36417C 36417 36423 36424 34797 37313 37314 37313 37318C 11169 11170 11171 6052 40397 40142 36429 40432	1 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	補針ボドドド十六六六メ油油六ミ糸ココ油油油油膝膝膝膝膝膝膝膝膝下下としたとしたが、 はいい はい	ACCESSORIES PACK NEEDLE DPX17 #24 BOBBIN SCREW DRIVER (SMALL) SCREW DRIVER (MIDDLE) SCREW DRIVER (LARGE) SCREW DRIVER (CROSS TYPE) WRENCH (2.5 mm) WRENCH (4 mm) WRENCH (4 mm) WRENCH (5 mm) DOUBLE HEAD WRENCH 10X11 OILER OIL WRENCH (2 mm) MACHINE COVER THREAD UNWINDER COMP. RUBBER CUSHION (A) RUBBER CUSHION (B) DRIP PAN O-RING DRAIN SCREW KNEE LIFTER ROCK SHAFT RETAINING RING KNEE LIFTER ROCK SHAFT LIFTING ARM SPACER SPRING SCREW 5/16X18 L=16.0 ADJUSTING SCREW 15/64X28 L=30.0 NUT KNEE LIFTER ROCK SHAFT HUB SCREW 5/16X18 L=16.0 KNEE LIFTER ROCK LEVER SCREW 5/16X18 L=16.0 KNEE LIFTER ROCK LEVER SCREW 5/16X18 L=16.0 KNEE LIFTER ROCK LEVER SCREW 5/16X18 L=16.0 KNEE LIFTER ROCK SHAFT HUB SCREW 5/16X18 L=16.0 KNEE LIFTER ROCK LEVER SCREW 5/16X18 L=16.0 KNEE LIFTER ROCK SHAFT HUB SCREW 5/16X18 L=16.0 KNEE LIFTER ROCK SHAFT LIFTING ARM PLATE LIFTING ROD EXTENSION ROD FOR TILTING TABLE RUBBER CAP		



ACC	CESSORIE	5 2		
	部品番号	員数		
No	PARTS No			DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	40303C 40303-01 28138 10599 40303-02 28138 10599 37288 40303-03 37288 12294-06 15081 11142 11830 40303	2 1 2 2 2 1 3	ベルトが ベルルトが ボルルトがに ボルルトがに ボルルトがに ボルルトがに ボルルトがに ボルルトがに ボルルトがに ボルルトが ボルトが ボルトが ボード (B)	BELT GUARD COMP. BELT GUARD (A) SCREW M6X1 L=10.0 WASHER BELT GUARD (B) SCREW M6X1 L=10.0 WASHER SCREW M4X0.7 L=5.0 BELT GUARD (C) SCREW M4X0.7 L=5.0 BELT GUARD (D) WOOD SCREW WASHER THUMB SCREW BELT GUARD COMP.



オプション OPTION

	<u>OPT</u>	ION			
		部品番号	吕 粉		
	No	PARTS No		品名	DESCRIPTION
	1	11169-A 11886 6055 40396 13079 13098	2 2 4 1 1	回句 ミシンヒンジ ミシンヒンジ受け 釘 頭部受け棒 (長) くさり (1000 mm) ペダルセット	MACHINE HINGE CONNECTION MACHINE HINGE CONNECTION CUSHION NAIL HEAD REST (LONG) CHAIN (1000 mm) PEDAL COMPLETE
The second secon					
4					:

SEIKO SEWING MACHINE CO., LTD.

2-13-6 Sakaecho, Funabashi-shi Chiba Prefecture, 273-0018, Japan

TEL: 81-47-420-3561 (Overseas dept.)

FAX: 81-47-420-3560

E-mail: export@seiko-sewing.co.jp http://www.seiko-sewing.co.jp./

> Parts No. PB57510(0508) Rev. 3