Singer 16-188

Form 8933 (Rev. 558) Printed in U.S.A.

LIST of PARTS



SINGER"

MACHINE No. 16-188

THE SINGER MANUFACTURING COMPANY

** A Trademark of THE SINGER MANUFACTURING COMPANY

INSTRUCTIONS FOR OILING

To ensure easy running and prevent unnecessary wear of the parts which are in movable contact, the machine requires oiling and when in continuous use, "TYPE B" or "TYPE D" OIL, sold by Singer Sewing Machine Company, should be applied at least twice each day to all oil holes marked "OIL", as instructed in Form 7615.

"TYPE D" OIL should be used when an oil is desired which will produce a minimum of stain on fabrics, even after a long period of storage.

Apply a few drops of oil to the shuttle bearings in the shuttle race each time a bobbin is replaced.

INDEX

	Page
ccessories	
inders	
obbin Winders	
orders	
dge Folder	19
inger Guards	20
ittings	20
emmers	20
nee Lifter Parts	25
achine No. 16-188	7
umerical List of Parts	27
brood Hawindon	25

Copyright © 1958 by The Singer Manufacturing Company

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewina Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A-Hardened, Polished, Nickel Plated and Buffed

B-Polished, Nickel Plated and Buffed

C—Hardened Only

D-Polished Only

E—Soft. Not Polished

F—Hardened and Polished

G—Bright Rumbled and Nickel Plated

H-Blued

J-Nickel Plated Only

K-Hardened and Nickel Plated

L-Brass Plated

M—Oxidized

R—Phosphate Coating Formed on Surface of Iron or Steel

S-Cadmium Plated

T—Copper Plated

U—Zinc Plated

V—Silver Plated

W-Polished and Nickel Plated

X—Black Oxide for Iron and Steel

Y-Black Nickel Plated Only

Z—Chromium Plated

A.A—Buffed and Chromium Plated

A.B—Hardened, Polished, Buffed and Chromium Plated

A.E—Hardened, Bright Rumbled and Nickel Plated

A.F-Hardened, Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated

A.G-Alumilite (Plain)

A.H—Alumilite (Dyed) Color Must be Stated

A.J-Polished, Nickel Plated and Chromium Plated

A.K—Hardened, Polished, Nickel Plated and Chromium Plated

A.L—Heat Treated for Toughness

A.L.D—Heat Treated for Toughness and Polished

A.L.X—Heat Treated for Toughness and Black Oxide

INSTRUCTIONS FOR ORDERING

A.S-Black Moulded Phenolic

T

A.T-Beige Moulded Phenolic

A.U-Brown Moulded Phenolic

A.W.-Hardened then Flame Coated with Tungsten Carbide

B.A—Chrome Nickel Satin Finish

B.B-Hardened and Chrome Nickel, Satin Finished

C.R—Hardened and Phosphate Coating Formed on Surface of Steel

F.J.—Hardened, Polished and Nickel Plated

T.A.-Hardened, Polished, Copper and Nickel Plated and Buffed

T.B—Copper and Nickel Plated and Polished

T.J-Copper and Nickel Plated Only

T.K—Hardened, Copper and Nickel Plated

T.L—Copper and Brass Plated

T.M—Copper Plated and Oxidized

X.C-Hardened and Black Oxide for Iron and Steel

Z.A—Hardened, Polished Nickel Plated, Buffed and Chromium Plated

Z.B-Polished, Nickel Plated, Buffed and Chromium Plated

Z.C—Hardened and Chromium Plated

Z.D-Polished and Chromium Plated

Z.G-Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated

Z.J-Nickel and Chromium Plated

Z.T-Copper and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:

1 to 1500, 50001 to 51500 and 140001 to 142,000 are screw numbers


1501 to 1800 and 51500 to 51800 are nut numbers 1801 to 2000 and 51801 to 52000 are roller numbers 2001 to 50000 and 52001 to 140000 and 142001 to 190000 are Sewing Machine Parts, 190001 and upward are numbers of Electrical Parts.

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in orderina.

Parts marked with an asterisk (*) are furnished only when repairs are made at the factory.

7

FOR



MACHINE No. 16-188

CENTRAL BOBBIN. HIGH LIFT. INDEPENDENT UPPER AND UNDER FEED

	No.	Plate	Name
*	4890		Arm with 159D, 180D, 4448, 4449, 4891, 4892, 6305 and four 129D
	2002	24160	Arm Dowel Pin (2)
	4448	24160	Arm Oil Tube for intermediate bearing
	123E	24160	Arm Screw (3)
	4359	24161	Arm Shaft
	56811	24101	Arm Shaft 4359 with 4745 and 56829
		24161	Arm Shaft Bushing (back)
	3005		
	140732AL	24161	Arm Shaft Bushing (back) Set Screw
	4449	24161	Arm Shaft Bushing (front)
	144D	24161	Arm Shaft Screw
	4743	24160	Arm Side Cover
	51 224W	24160	Arm Side Cover Thumb Screw
	52239	24160	Arm Spool Pin and Thread Eyelet
	8879	24160	Arm Spool Pin Washer (cloth)
		NOTE:	When ordering No. 8879, state color
			required.
*	80982		Bed
	4292	24161	Crank Connecting Rod with 125044 and
			two 145E
	145E	24161	Crank Connecting Rod Cap Screw (2)
	375C	24161	Crank Connecting Rod Hinge Screw
	1518J	24161	Crank Connecting Rod Hinge Screw Nut
	125044	24161	Crank Connecting Rod Oil Pad (felt)
	56871	24162	Face Plate
	56872		Face Plate 56871 with 2105
	56873		Face Plate complete, Nos. 448AL, 460AL,
	22270		2111, 2127, 2269, 4378, 56791, 56870,
			56872 and two 233J

f.

No.	Plate	Name			No.	Plate	Name
175D 56870	24162 24162	Face Plate Screw (3)Face Plate Thread Guard	A e	(.a)	56814		Feed (lower) Rock Shaft Screw Center 307C with 1513J (2)
233J	24162	Face Plate Thread Guard Screw			1513J	24163	Feed (lower) Rock Shaft Screw Center Nut
4391	24163	Feed (lower) Bar			4744	24164	(2)
313C 56813	24163	Feed (lower) Bar Screw Center (2) Feed (lower) Bar Screw Center 313C with			6306	24164	Feed (upper) Bar Feed (upper) Bar Connecting Link
1519J	24163	1519J (2)			89 F	24164	Feed (upper) Bar Connecting Link Hinge Screw (2)
4745	24161	Feed (lower and upper) Cam with 448AL			2361	24164	Feed (upper) Bar Hinge Bracket
448AL	24161	Feed (lower and upper) Cam Set Screw			2362	24164	Feed (upper) Bar Hinge Bracket Rivet (2)
52165	24161	Feed (lower) Connecting Link			810D	24164	Feed (upper) Bar Hinge Cap Screw
375C	24161	Feed (lower) Connecting Link Hinge Screw			4746	24165	Feed (upper) Forked Connection with 453AL
1518J	24161	Feed (lower) Connecting Link Hinge Screw	-1	E.	3093	24165	Feed (upper) Forked Connection Pin
		Nut (2)			453AL	24165	Feed (upper) Forked Connection Set Screw
3037	24161	Feed (lower) Forked Connection			4904	24165	Feed (upper) Lever
5748		Feed (lower) Forked Connection complete, Nos. 3037, 52165, 56894 and two each		: 4	* 6305		Feed (upper) Lever Bracket with two 620AL
		375C and 1518J			180D	24165	Feed (upper) Lever Bracket Screw(lower)
375C	24161	Feed (lower) Forked Connection Hinge			159 D	24165	Feed (upper) Lever Bracket Screw(upper)
		Screw			6307	24165	Feed (upper) Lever Hinge Pin
1518J	24161	Feed (lower) Forked Connection Hinge Screw Nut			620AL	24165	Feed (upper) Lever Hinge Pin Set Screw (2)
3165	24163	Feed (lower) Lifting Rock Shaft			56904	24165	Feed (upper) Regulator
3163		Feed (lower) Lifting Rock Shaft complete, Nos. 3165 and 3166			4938		Feed (upper) Regulator complete, Nos. 666F, 1014D, 4907, 4959, 13076, 56904
3166	24163	Feed (lower) Lifting Rock Shaft Crank with			`		and two 237AL
		157E and 1813			2049	24165	Feed (upper) Regulator Pin
157E	24163	Feed (lower) Lifting Rock Shaft Crank			13076	24165	Feed (upper) Regulator Slide Block
		Clamping Screw			1014D	24165	Feed (upper) Regulator Thumb Screw
1904	24 163	Feed (lower) Lifting Rock Shaft Crank Roller			666F	24165	Feed (upper) Regulator Thumb Screw Lock Screw
1813		Feed (lower) Lifting Rock Shaft Crank Roller and Stud Nos. 1904 and 125060	•		4959	24165	Feed (upper) Regulator Thumb Screw Lock Stud (brass)
125060	24163	Feed (lower) Lifting Rock Shaft Crank Roller Stud			4907	24165	Feed (upper) Regulator Thumb Screw Stop Bracket
307C	24163	Feed (lower) Lifting Rock Shaft Screw Center (2)		1	237AL	24165	Feed (upper) Regulator Thumb Screw Stop Bracket Screw (2)
5681 4		Feed (lower) Lifting Rock Shaft Screw			4908	24165	Feed (upper) Shaft
1513J	24163	Center 307C with 1513J (2) Feed (lower) Lifting Rock Shaft Screw			56774		Feed (upper) Shaft 4908 with 2049, 4746 and 4938
		Center Nut (2)			4892	24165	Feed (upper) Shaft Bracket (back)
4747	24161	Feed (lower) Regulator			129D	24165	Feed (upper) Shaft Bracket (back) Screw
56894		Feed (lower) Regulator 4747 with 818W					(2)
140139E	24161	Feed (lower) Regulator Hinge Screw			4891	24165	Feed (upper) Shaft Bracket (front)
139603	24161	Feed (lower) Regulator Hinge Screw Friction Washer			129D	24165	Feed (upper) Shaft Bracket (front) Screw (2)
818W	24161	Feed (lower) Regulator Thumb Screw			4642	24166	Feed Dog 16 teeth (16 teeth to the inch)
3042	24163	Feed (lower) Rock Shaft			56845		Feed Dog (spiked teeth)
56880		Feed (lower) Rock Shaft complete, Nos.				NOTE:	No. 4642 is regularly furnished.
20/	24112	3042 and 29633	***	(1	208AL		Feed Dog Screw (2)
29633	24163	Feed (lower) Rock Shaft Crank with 157R			56896	24166	Feeding Foot
157R	24163	Feed (lower) Rock Shaft Crank Set Screw.			217D	24166	Feeding Foot Screw
307C	24163	Feed (lower) Rock Shaft Screw Center (2).	y	,	25875	24166	Guide

5

10 .	LAK	.13 FOR MACHINE NO. 10-100				FARI	5 FOR MEACHINE NO. 10-100
No.	Plate	Name			No.	Plate	Name
3126	24164	Guide Bar	Ŋ	\$	196AL	24167	Needle Clamp Screw
56752		Guide Bar 3126 with 2361 and two 2362			4266	24167	Needle Clamp Thread Guide
4899		Guide Bar complete, Nos. 810D, 810E,			651D	24167	Needle Clamp Thread Guide Screw
* -		4723, 4744, 4897, 56752 and three 404J			4304	24161	Oscillating Rock Shaft (steel) with 4784
4854	24167	Guide Bar Driving Crank with 1862 and			5747		Oscillating Rock Shaft 4304 with 15489 and
		3131					56812
1862	24167	Guide Bar Driving Crank Roller (roller			3052	24161	Oscillating Rock Shaft Hinge Pin
3131	24167	only)Guide Bar Driving Crank Roller Cap			56812		Oscillating Rock Shaft Hinge Pin 3052 with 1513J
3094		Guide Bar Driving Crank Wedge			1513J	24161	Oscillating Rock Shaft Hinge Pin Nut
5750		Guide Bar Driving Crank Wedge 3094 with			635C	24161	Oscillating Rock Shaft Hinge Pin Screw
		690E					Bearing
690E	24161	Guide Bar Driving Crank Wedge Screw			15489		Oscillating Rock Shaft Hinge Pin Screw
4723	24164	Guide Bar Lifting Bracket	**				Bearing 635C with 1513J
404J	24164	Guide Bar Lifting Bracket Screw (3)			1513J	24161	Oscillating Rock Shaft Hinge Pin Screw
284D	24166	Guide Thumb Screw					Bearing Nut
2058	24168	Lifting Presser Bar			4784	24161	Oscillating Rock Shaft Oil Pad
3133	24168	Lifting Presser Bar Bracket with 641E	الو	(AL	3168	24163	Oscillating Shaft
2133	21100	and 1823			15426	24163	Oscillating Shaft Crank
641E	24168	Lifting Presser Bar Bracket Clamping			15165		Oscillating Shaft Crank complete, Nos.
	247/0	Screw			462 4 7	24162	1519E, 15171, 15426 and two 462AL
1823	24168	Lifting Presser Bar Bracket Roller and			462AL	24163	Oscillating Shaft Crank Set Screw (2)
	241/2	Stud			15170	24163	Oscillating Shaft Crank Slide Block
4909	24168	Lifting Presser Bar Lifter			226J	24163	Oscillating Shaft Crank Slide Block Cap
598C	24168	Lifting Presser Bar Lifter Screw			10404	241/2	Screw
4897	24164	Lifting Presser Bar Lifting Bell Crank			12424	24163	Oscillating Shaft Crank Slide Block Cap
810E	24164	Lifting Presser Bar Lifting Bell Crank			10256	241/2	Screw Washer
		Hinge Cap Screw			1035C	24163	Oscillating Shaft Crank Slide Block Screw
4725	24168	Lifting Presser Bar Lifting Bracket			15105	241/2	Stud
4726	24168	Lifting Presser Bar Lifting Bracket Guide Pin			1519E	24163	Oscillating Shaft Crank Slide Block Screw Stud Nut
56903	24168	Lifting Presser Bar Spring			15171		Oscillating Shaft Crank Slide Block
	NOTE:	No. 56903 is regularly furnished.					complete, Nos. 226J, 1035C, 12424 and
32675		Lifting Presser Bar Spring (light)	•	.*			15170
3100		Lifting Presser Bar Spring (heavy)			262J	24168	Pressure Regulating Thumb Screw
8225		Lifting Presser Bar Spring (extra heavy).			1632C	24168	Pressure Regulating Thumb Screw Lock
2070	24168	Lifting Presser Bar Spring Washer					Nut
5792	24166	Lifting Presser Foot	L.	4	2996	24169	Shuttle Bobbin
217D	24166	Lifting Presser Foot Screw			151 4 0	24169	Shuttle Bobbin Case Latch
56898	24161	Machine Pulley (heavy rim) "V" Belt			2973	24169	Shuttle Bobbin Case Latch Lever
300,0		Groove (Outside Diam. of Belt Groove			297 4	24169	Shuttle Bobbin Case Latch Lever Fulcrum
		2.9 in.) with two 435AL					Pin
435AL	24161	Machine Pulley Set Screw (2)			2975	24169	Shuttle Bobbin Case Latch Spring
4264	24167	Needle Bar			592E	24169	Shuttle Bobbin Case Latch Stop Screw
4898	24167	Needle Bar Connecting Link with 390E			15141		Shuttle Bobbin Case Hinge with 2973, 2974
56764		Needle Bar Connecting Link 4898 with					and 15140
		15472			15277	24169	Shuttle Bobbin Case with 591F, 592E, 2975,
390E	24167	Needle Bar Connecting Link Adjusting			2515	24160	15141 and 15278
		Screw			2515	24169	Shuttle Body Non 2515
15472	24167	Needle Bar Connecting Stud with 155C			15100	24169	Shuttle, 1 11/16 in. diam., Nos. 2515,
155C	24167	Needle Bar Connecting Stud Set Screw	7		/	247/2	2996 and 15277
4265	24167	Needle Clamp with 196AL			68752	24163	Shuttle Driver with two 462AL
4865	24167	Needle Clamp complete, Nos. 651D, 4265			462AL		Shuttle Driver Set Screw (2)
		and 4266			2531	24170	Shuttle Race Back

أأري

ACCESSORIES

No.	Plate	Name
2532	24170	Shuttle Race Back Position Pin (2)
2533	24170	Shuttle Race Back Spring
648J	24170	Shuttle Race Back Spring Screw
2530	24170	Shuttle Race Body
15420		Shuttle Race Body 2530 with 2535 and two
		662AL
2535	24170	Shuttle Race Cap
662AL	24170	Shuttle Race Cap Screw (2)
56897	24170	Shuttle Race complete, Nos. 648J, 2531,
		2533, 15420 and two 2532
145B	24170	Shuttle Race Screw (2)
4305	24160	Shuttle Race Slide
80528	24160	Shuttle Race Slide complete, Nos. 2824,
		4305 and two 51282E
2824	24160	Shuttle Race Slide Spring
51282E	24160	Shuttle Race Slide Spring Screw (2)
591 F	24169	Shuttle Tension Regulating Screw
15278	24169	Shuttle Tension Spring
2102	24171	Tension Disc (2)
56791	24171	Tension complete, Nos. 2103, 2124, 16202
		and two 2102
4378	24162	Tension Releaser
2269	24162	Tension Releaser Hinge Pin
1560C	24171	Tension Regulating Thumb Nut
600C	24171	Tension Screw Stud
16202		Tension Screw Stud 600C with 1560C
448AL	24162	Tension Screw Stud Set Screw
2103	24171	Tension Spring Tension Thread Guard
2105	24162	Thread Retaining Disc with 2113
2112	24171	Thread Retaining Disc Steady Pin
2113	24171	Thread Retaining Spring
2114	24171	Thread Retaining Stud
2115	24171	Thread Retaining Stud Set Screw
460AL	24162 24171	Thread Retaining Guide complete, Nos.
2111	241/1	2112, 2114 and 2115
56829	24161	Thread Take-up Cam (steel)
3012	24161	Thread Take-up Cam Pin
3072	24167	Thread Take-up Lever with 1819
56855		Thread Take-up Lever 3072 with 1088C
1088C	24167	Thread Take-up Lever Hinge Screw
1819	24167	Thread Take-up Lever Roller and Stud
2124	24171	Thread Take-up Spring
2127	24171	Thread Take-up Spring Regulator Plate
233J	24171	Thread Take-up Spring Regulator Plate
2003		Adjusting Screw
4646	24166	Throat Plate, large needle hole
56836		Throat Plate, small needle hole
-	NOTE:	No. 4646 is regularly furnished with this
		Machine.
691AL	24166	Throat Plate Screw (2)
139637		Drip Pan with four 1 in. wire nails

Plate Name No, Machine Button with wood screws 1-1/2 in. 24153 27136 No. 14 R. H. B..... Machine Hinge Connection (2)..... 12361 24153 Machine Rest Pin (wood)..... 41400 24153 Oiler (copper plated) with 120343 120342 24153 Oiler Spout, 3-1/2 in. long..... 120343 24153 Screw Driver (machine)..... 26026 24153 Screw Driver (shuttle tension)..... 26485 24153 Wrench for 1513 and 1518 4347 24153 Wrench for 1632..... 4918 ----Wrench for 1519 and 1520 24153 8908

BINDERS

BINDER ON SHANK

For 7/16 in. to 3/4 in binding, in steps of 1/16 in.

No.	Plate	Name
161286	24172	Binder on Shank with two each 217J and 7071, for 7/16 in. to 3/4 in. binding, in steps of 1/16 in
	NOTE:	When ordering furnish a finished sample and materials for testing or state size of binding
		or tape.
217J	24172	Binder Screw (2)
190J	24172	Binder Screw (to bed of machine) (2)
7071	24172	Binder Screw Washer (to bed of machine)
7071	24172	Binder Screw Washer (2)
121746	24172	Binder Shank Leveling Plate for use with 161286
35227	24172	Feed Dog, 20 teeth (16 teeth to the inch)
35181	24172	Feeding Foot
35230	24172	Lifting Presser Foot
35229	24172	Throat Plate

	BINDER ON SHANK For 13/16 in. to 1 3/8 in. binding, in steps of 1/16 in.			<			
					No.	Plate	Name
					160942 36465	24174 24174	Lifting Presser Foot
					30403	24114	guide) 160942 with 665J and 36464
					36464	24174	Lifting Presser Foot Spring Guide
					665J	24174	Lifting Presser Foot Spring Guide Screw
No.	Plate	Name			35229	24174	Throat Plate
-/							BOBBIN WINDERS
161287	24173	Binder on Shank with two each 217J and 7071, for 13/16 in. to 1-3/8 in. binding,					
		in steps of 1/16 in					BOBBIN WINDER
	NOTE:	When ordering, furnish a finished sample	••	<.			(Tight Wheel)
		and materials for testing or state size of			No.	Plate	Name
		binding or tape.			5522	24175	Frame
217J	24173	Binder Screw (2)		e.j.	2460	24175	Friction Ring (rubber)
190J	24173	Binder Screw (to bed of machine) (2)			2461	24175	Pulley
7071	24173	Binder Screw Washer (to bed of machine)			5529	24175	Spindle
		(2)			5530		Spindle 5529 with 2461
7071	24173	Binder Screw Washer (2)			2464	24175	Spring
121746	24173	Binder Shank Leveling Plate			5528	24175	Bobbin Winder (tight wheel) complete,
35227	24173	Feed Dog, 20 teeth (16 teeth to the inch)					Nos. 2460, 5522 and 5530
35181 35230	24173	Feeding Foot			46D	24175	Bobbin Winder Hinge Screw
35230 35229	24173 24173	Lifting Presser Foot					
33229	24113	Infoat Flate					BOBBIN WINDER
						(9	Swinging Automatic, Right Hand)
							For V-Belt Drive
					No.	Plate	Name
		BINDER ON SHANK			27540	24175	Base
	For Li	in. to 1 3/4 in. binding, in steps of 1/16 in.	•		15072	24175	Bobbin Position Pin
		in to 1 of a meaning, in steps of 1/10 m.			27302	24175	Frame
					50356D	24175	Frame Hinge Screw
					1620J	24175	Frame Hinge Screw Nut
			'>	•	27303		Frame Spring
					150785	24175	Pulley
No.	Plate	Name			27538	24175	Spindle with 15072 and 41828
1/1200	24174	Di-d Charle with two and 2177 and			41828	24175	Spindle Collar Pin
161288	24174	Binder on Shank with two each 217J and			27306	24175	Spool Pin
		7071, for 1 in. to 1-3/4 in. bindings, in steps of 1/16 in			27307	24175	Spool Stand
	NOTE:	When ordering, furnish a finished sample			27308	24175	Spool Stand complete, Nos. 418E, 1562J,
	.,,,,,	and materials for testing or state size of					2106, 10141, 11241, 27306, 27307 and two
		binding as well as size of finish.					each 2455 and wood screws 1 in. No. 10
217J	24174	Binder Screw (2)			11241	24175	Spool Washer (cloth)
190J	24174	Binder Screw (to bed of machine) (2)			27312	24175	Stop Latch
7071	24174	Binder Screw Washer (to bed of machine)			35D	24175	Stop Latch Hinge Screw
		(2)			2455	24175	Tension Disc (2) Tension Regulating Thumb Nut
7071	24174	Binder Screw Washer (2)	*	•	1562J	24175 24175	Tension Screw Stud
121746	24174	Binder Shank Leveling Plate			418E 10141	24175	Tension Spring
161289	24174	Feed Dog (spiked teeth)			2106	24175	Tension Thread Guide
363 4 6	24174	Feeding Foot	i		2100	P-11()	

٨.

BOBE	IN	WII	NDER
(For	Rou	ınd	Belt)

No.	Plate	Name
150788	24175	Bobbin Winder, Nos. 35D, 1620J, 27302, 27303, 27312, 27538, 27540, 50356D, 150785 and two wood screws 1 in. No. 7 F.H.
150789	24175	Bobbin Winder (swinging automatic, right hand) complete, "V" belt drive, Nos. 27308 and 150788

BOBBIN WINDER (Swinging Automatic, Right Hand) For V-Belt Drive For Power Table.

No.	Plate	Name
259428	23253	Brake (leather)
259429	23253	Brake Clamp
200113F	23253	Brake Clamp Screw
259662	23253	Bobbin Winder and Tension Bracket Base .
225453	23253	Frame with 202277 and 259660
225454	23253	Frame Hinge Pin
202277	23253	Frame Oil Packing (wick)
259660	23253	Frame Oil Well Washer
225455	23253	Frame Spring
225456	23253	Frame Spring Plunger
259461	23253	Pulley with 200380C
200380C	23253	Pulley Set Screw
225381	23253	Spindle
225444	23253	Stop Latch
200056E	23253	Stop Latch Screw
225458	23253	Stop Latch Thumb Lever
225459	23253	Stop Latch Thumb Lever Hinge Stud
225459	23253	Stop Latch Thumb Lever Joint Stud
202478	23253	Stop Latch Trip Lever
200299B	23253	Stop Latch Trip Lever Hinge Screw
225461	23253	Tension Bracket with 201499B
200082D	23253	Tension Bracket Screw
228026	23253	Tension Bracket Screw Washer
2102	23253	Tension Disc (2)
13710	23253	Tension Spring
201499B	23253	Tension Stud
201572B	23253	Tension Stud Thumb Nut
225462	23253	Tension Bracket complete, Nos. 13710, 201572B, 225461 and two 2102
259462	23253	Bobbin Winder Swinging Auto right hand etc. complete, for "V" belt, Nos.200056E, 200082D, 200113F, 200299B, 202478, 225381, 225444, 225453, 225454, 225455, 225456, 225458, 225462, 228026, 259428, 259429, 259461, 259662, and two each 225459 and wood screws 3/4 in. No. 12 R. H.

No.	Plate	Name
259428	23253	Brake (leather)
259429	23253	Brake Clamp
200113F	23253	Brake Clamp Screw
259430	23253	Bobbin Winder and Tension Bracket Base.
225453	23253	Frame with 202277 and 259660
225454	23253	Frame Hinge Pin
202277	23253	Frame Oil Packing (wick)
259660	23253	Frame Oil Well Washer
225455	23253	Frame Spring
225456	23253	Frame Spring Plunger
225368	23253	Pulley with 200380C
200380C	23253	Pulley Set Screw
225381	23253	Spindle
225444	23253	Stop Latch
200056E	23253	Stop Latch Screw
225458	23253	Stop Latch Thumb Lever
225459	23253	Stop Latch Thumb Lever Hinge Stud
225459	23253	Stop Latch Thumb Lever Joint Stud
202478	23253	Stop Latch Trip Lever
200299B	23253	Stop Latch Trip Lever Hinge Screw
225461	23253	Tension Bracket with 201499B
200082D	23253	Tension Bracket Screw
228026	23253	Tension Bracket Screw Washer
2102	23253	Tension Disc (2)
13710	23253	Tension Spring
201499B	23253	Tension Stud
201572B	23253	Tension Stud Thumb Nut
225462	23253	Bobbin Winder Tension Bracket complete, Nos. 13710, 201572B, 225461 and two 2102
259431	23253	Bobbin Winder (round belt) complete, Nos. 200056E, 200082D, 200113F, 200299B, 202478, 225368, 225381, 225444, 225453, 225454, 225455, 225456, 225458, 225462, 228026, 259428, 259429, 259430 and two each 225459 and wood screws 3/4 in. No. 12 R. H. B

CORDER

	For	Upholstery	and	Similar	Work
_		100 - 0			1

		For Upholstery and Similar Work
	for I/8 i	n. to 1/2 in. Cord, in Steps of 1/32 in.
No.	Plate	Name
25784	24176	Cord Guide
25785	24176	Cord Guide Arm
101D	24176	Cord Guide Arm Hinge Screw
25783	24176	Cord Guide Bed
25786	24176	Cord Guide Dowel Pin
217J	24176	Cord Guide Screw
190Ј	24176	Cord Guide Screw (to bed of machine) (2).
7071	24176	Cord Guide Screw Washer (2)
25787	24176	Corder complete, Nos. 101D, 217J, 25783,
		25784, 25785 and 25786
	NOTE:	When ordering No. 25787, furnish a finished
		sample or state size of cord.
161282	24176	Feed Dog, for use with 17 teeth (16 teeth
		to the inch)
120369	24176	Feeding Foot
120370	24176	Lifting Presser Foot
161283	24176	Throat Plate

CORDER (ADJUSTABLE)

For Upholstery and Similar Work for 1/8 in. to 1/2 in. Cord, in Steps of 1/32 in.

No.	Plate	Name
26795	24177	Cord Guide
26796	24177	Cord Guide Arm with 26798 and three
		6037
1044D	24177	Cord Guide Arm Hinge Screw
28644	24177	Cord Guide Bed
26798	24177	Cord Guide Bracket
6037		Cord Guide Bracket Pin (3)
190Ј	24177	Cord Guide Screw
190J	24177	Cord Guide Screw (to bed of machine) (2).
7071	24177	Cord Guide Screw Washer (2)
28645	24177	Corder (adjustable) complete, Nos. 190J,
		1044D, 26795, 26796 and 28644
	NOTE:	When ordering No. 28645, furnish a finished
		sample or state size of cord.
161282	24177	Feed Dog, 17 teeth (16 teeth to the inch).
120369	24177	Feeding Foot
120370	24177	Lifting Presser Foot
161283	24177	Throat Plate

For Upholstery and Similar Work for Short Turns, for 1/8 in. to 1/2 in. Cord, in Steps of 1/32 in.

No.	Plate	Name
26795	24178	Cord Guide
26796	24178	Cord Guide Arm with 26798 and three
1044D	24178	Cord Guide Arm Hinge Screw
120206	24178	Cord Guide Bed with 457AL
457AL	24178	Cord Guide Bed Leveling Screw
26798	24178	Cord Guide Bracket
6037		Cord Guide Bracket Pin (3)
190J	24178	Cord Guide Screw
190J	24178	Cord Guide Screw (to bed of machine) (2).
7071	24178	Cord Guide Screw Washer (2)
120207	24178	Corder complete, Nos. 190J, 1044D,
		26795, 26796 and 120206
	NOTE:	When ordering No. 120207, furnish a
		finished sample or state size of cord.
161282	24178	Feed Dog, 17 teeth (16 teeth to the inch)
120369	24178	Feeding Foot
120370	24178	Lifting Presser Foot
161283	24178	Throat Plate

EDGE FOLDER

EDGE FOLDER ON SHANK

For Broadcloth, Muslin and Similar Material, for 1/8 in. to 5/8 in. Edge Fold, in steps of 1/16 in.

No.	Plate	Name
28649	24179 NOTE:	Edge Folder on Shank
1443J	24179	Edge Folder Screw (to bed of machine) (2)
35227	24179	Feed Dog, 20 teeth (16 teeth to the inch)
35181	24179	Feeding Foot
36345	24179	Lifting Presser Foot
35229	24179	Throat Plate

For Muslin, Indian Head, Blue Denim, Dress Suit Material, etc. and Plastics, for 1/4 in. to 3/4 in. Edge Folds, in steps of 1/16 in.

No.	Plate	Name
161181	24180	Edge Folder (turn up) on Shank with two 1443J, adjustable backward and forward as well as sidewise
	NOTE:	When ordering, furnish a finished sample or state size of edge fold.
1443J	24180	Edge Folder Screw (2)
1443J	24180	Edge Folder Screw (to bed of machine) (2).
35227	24180	Feed Dog, 20 teeth (16 teeth to the inch)
35181	24180	Feeding Foot
36345	24180	Lifting Presser Foot
35229	24180	Throat Plate

FINGER GUARDS

No.	Platè	Name
121328	24181	Finger Guard (Narrow)
121332	24181	Finger Guard (Wide)

FITTINGS

For Upholstery and Similar Work, For Various Sizes of Cord

No.	Plate	Name
161282	24181	Feed Dog, 17 teeth (16 teeth to the inch)
6319	24181	Feed (upper) Bar
56882	24181	Feeding Foot
56883	24181	Lifting Presser Foot
161283	24181	Throat Plate

HEMMERS

HEMMER ON SHANK

For Muslin and Similar Materials, for 1/8 in. to 1/4 in. Hem, in steps of 1/16 in.

No.	Plate	Name
35227	24182	Feed Dog, 20 teeth (16 teeth to the inch)
35181	24182	Feeding Foot
120991	24182	Hemmer on Shank for 1/8 in. to 1/4 in. hem in steps of 1/16 in
	NOTE:	When ordering, furnish a finished sample or state size of hem.

No.	Plate	Name
190Ј	24182	Hemmer Screw (to bed of machine) (2)
7071	24182	Hemmer Screw Washer (2)
121746	24182	Hemmer Shank Leveling Plate
36345	24182	Lifting Presser Foot
35229	24182	Throat Plate

HEMMER ON SHANK

For Chambray, Flannel, Indian Head, Blue Denim and Similar Materials, for 1/8 in. to 3/4 in. Hem, in steps of 1/16 in.

No.	Plate	Name
35227	24183	Feed Dog, 20 teeth (16 teeth to the inch)
35181	24183	Feeding Foot
28627	24183	Hemmer on Shank for 1/8 in. to 3/4 in. hem, in steps of 1/16 in
	NOTE:	When ordering, furnish a finished sample or state size of hem.
190J	24183	Hemmer Screw (to bed of machine) (2)
7071	24183	Hemmer Screw Washer (2)
36345	24183	Lifting Presser Foot
35229	24183	Throat Plate

HEMMER ON SHANK

For Heavy Canton Flannel and Similar Materials, for 3/16 in. to 5/8 in. Hem, in steps of 1/16 in.

No.	Plate	Name
35227	24184	Feed Dog, 20 teeth (16 teeth to the inch)
35181	24184	Feeding Foot
28650	24184	Hemmer on Shank for $3/16$ in. to $5/8$ in.
		hem, in steps of 1/16 in
	NOTE:	When ordering, furnish a finished sample or
		state size of hem.
. 190J	24184	Hemmer Screw (to bed of machine) (2)
7071	24184	Hemmer Screw Washer, (2)
121746	24184	Hemmer Shank Leveling Plate
36345	24184	Lifting Presser Foot
35229	24184	Throat Plate

For Muslin and Similar Materials, for 1/4 in. to 1/2 in. Hem, in steps of 1/16 in

No.	Plate	Name					
35227	24185	Feed Dog, 20 teeth (16 teeth to the inch)					
35181	24185	Feeding Foot					
28719	24185	Hemmer on Shank for 1/4 in. to 1/2 in. hem, in steps of 1/16 in					
	NOTE:	When ordering, furnish a finished sample or state size of hem.					
1443J	24185	Hemmer Screw (to bed of machine) (2)					
36345	24185	Lifting Presser Foot					
35229	24185	Throat Plate					

HEMMER ON SHANK (TURN-UP) ADJUSTABLE (Backwards and Forwards as well as Sidewise) For Broadcloth, Muslin, Chambray, Plastic and Similar Materials, for 1/4 in. to 5/8 in. Hem, in steps of 1/16 in.

No.	Plate	Name
35227	24186	Feed Dog, 20 teeth (16 teeth to the inch)
35181	24186	Feeding Foot
161184	24186	Hemmer on Shank (turn up) Adjustable with two 1443J for 1/4 in. to 5/8 in. hem, in steps of 1/16 in
	NOTE:	When ordering, furnish a finished sample or state size of hem.
1443J	24186	Hemmer Screw (2)
190J	24186	Hemmer Screw (to bed of machine) (2)
7071	24186	Hemmer Screw Washer (2)
121746	24186	Hemmer Shank Leveling Plate
36345	24186	Lifting Presser Foot
35229	24186	Throat Plate

HEMMER ON SHANK (ADJUSTABLE, HINGED)

For Bottoms of Pajamas and Shorts, for 3/8 in. to 3/4 in. Hem, in steps of 1/16 in.

No.	Plate	Name
35227	24187	Feed Dog, 20 teeth (16 teeth to the inch)
35181	24187	Feeding Foot
160325	24187	Hemmer on Shank
28972	24187	Hemmer Holder
35610	24187	Hemmer Holder Friction Washer
940W	24187	Hemmer Holder Hinge Screw
120427	24187	Hemmer Holder Shank
190J	24187	Hemmer Screw (to bed of machine) (2)
7071	24187	Hemmer Screw Washer (2)

No.	Plate	Name
51224W	24187	Hemmer Thumb Screw
7071	24187	Hemmer Thumb Screw Washer
160326	24187 NOTE:	Hemmer on Shank (adjustable, hinged) complete, for 3/8 in. to 3/4 in. hem, in steps of 1/16 in., Nos. 940W, 7071, 28972, 35610, 51224W, 120427 and 160325 When ordering furnish a finished sample or
		state size of hem.
121746	24187	Hemmer Shank Leveling Plate
36345	24187	Lifting Presser Foot
35229	24187	Throat Plate

HEMMER ON SHANK (TURN-UP) ADJUSTABLE (Backwards and Forwards as well as Sidewise) For Huck Toweling and Similar Materials, for 3/8 in. to 1 5/16 in. Hem, in steps of 1/16 in.

No.	Plate	Name
35227	24188	Feed Dog, 20 teeth (16 teeth to the inch)
35181	24188	Feeding Foot
161044	24188	Hemmer on Shank (turn-up) Adjustable
		with two $1443J$ for $3/8$ in. to $1-5/16$ in.
		hem, in steps of 1/16 in
	NOTE:	When ordering, furnish a finished sample
		or state size of hem.
1443J	24188	Hemmer Screw (2)
190Ј	24188	Hemmer Screw (to bed of machine) (2)
7071	24188	Hemmer Screw Washer (2)
121746	24188	Hemmer Shank Leveling Plate
36345	24188	Lifting Presser Foot
35229	24188	Throat Plate

HEMMER ON SHANK

For Muslin and Similar Materials, for 7/16 in. to 1 1/8 in. Hem, in steps of 1/16 in.

No.	Plate	Name
35227	24189	Feed Dog, 20 teeth (16 teeth to the inch)
35181	24189	Feeding Foot
35236	24189	Hemmer on Shank for 7/16 in. to 1-1/8 in.
		hem, in steps of 1/16 in
	NOTE:	When ordering, furnish a finished sample or
		state size of hem,
190J	24189	Hemmer Screw (to bed of machine) (2)
7071	24189	Hemmer Screw Washer (2)
121746	24189	Hemmer Shank Leveling Plate
36345	24189	Lifting Presser Foot
35229	24189	Throat Plate

state size of hem.

190J

7071

121746

36345

35229

24192

24192

24192

24192

24192

Hemmer Screw (to bed of machine) (2) ...

Hemmer Screw Washer (2).....

Hemmer Shank Leveling Plate

Lifting Presser Foot

Throat Plate

Spool Rest Rod

Spool Rest Set Screw

Spool Stand

Thread Guide (2)

Thread Guide Holder

Thread Guide Rod.....

KNEE LIFTER PARTS For Muslin and Similar Materials, for 9/16 in. to 1 in. Hem, in steps of 1/16 in. Plate No. Name 80657 24163 Bell Crank with 445C..... Plate Name No. 445C 24163 Bell Crank Set Screw 12234 24163 Bell Crank Shaft..... 35227 24190 Deed Dog, 20 teeth (16 teeth to the inch).. 12235 24163 Bell Crank Spring 35181 24190 Feeding Foot 4894 24163 Lifting Lever with 448AL..... 28720 Hemmer on Shank for 9/16 in. to 1 in. 24190 4895 24163 Lifting Lever Connecting Rod hem, in steps of 1/16 in. 12416 24163 Lifting Lever Connecting Rod Joint NOTE: When ordering, furnish a finished sample or 76D 24163 Lifting Lever Connecting Rod Joint Hinge state size of hem. Screw 190J 24190 Hemmer Screw (to bed of machine) (2) ... 1521E 24163 Lifting Lever Connecting Rod Lock Nut.... 7071 24190 Hemmer Screw Washer (2)..... Lifting Lever Hinge Screw..... 1064D 24163 121746 24190 Hemmer Shank Leveling Plate Lifting Lever Hook..... 4896 24163 36345 24190 Lifting Presser Foot 448AL 24163 Lifting Lever Hook Set Screw 35229 24190 Throat Plate 2763 22128 Rock Shaft Rock Shaft 2763 with 2770, 6337 and 139623. 139633 ----HEMMER ON SHANK 7539 22128 Rock Shaft Hanger with two wood screws 1 in. No. 10 (2)..... For Muslin and Similar Materials, 22128 2765 Rock Shaft Knee Arm with 1509E for 1 1/16 in. to 2 in. Hem, in steps of 1/16 in. Rock Shaft Knee Arm Hub with 356C 22128 2766 22128 Rock Shaft Knee Arm Hub Set Screw 356C Rock Shaft Knee Arm Lock Nut..... 1509E 22128 No, Plate Name 2768 Rock Shaft Knee Arm complete, Nos. 2765, ____ 2766 and 2767 35227 24191 Feed Dog, 20 teeth (16 teeth to the inch).. 2767 22128 Rock Shaft Knee Plate with 356C..... 35181 24191 Feeding Foot 356C 22128 Rock Shaft Knee Plate Set Screw...... 28721 24191 Hemmer on Shank for 1-1/16 in. to 2 in. 6337 22128 Rock Shaft Lifting Bracket with two 356C .. hern, in steps of 1/16 in. 139623 22128 Rock Shaft Lifting Bracket Hook NOTE: When ordering, furnish a finished sample or 356C 22128 Rock Shaft Lifting Bracket Hook Set Screw. state size of hem. Rock Shaft Lifting Bracket Set Screw..... 356C 22128 190J 24191 Hemmer Screw (to bed of machine) (2)... 2770 22128 Rock Shaft Stop Dog with 140219C..... 7071 24191 Hemmer Screw Washer (2)..... Rock Shaft Stop Dog Set Screw..... 140219C ____ Hemmer Shank Leveling Plate 121746 24191 139625 22128 Rock Shaft complete, Nos. 2768, 139633 Lifting Presser Foot 36345 24191 and two 7539 Throat Plate 35229 24191 Knee Lifter complete, Nos. 76D, 1064D, 56902 ____ 1521E, 4725, 4726, 4894, 4895, 4896, 12234, HEMMER ON SHANK 12235, 12416, 80657 and 139625 For Muslin and Similar Materials, THREAD UNWINDER for 2 1/16 in. to 3 in. Hem, in steps of 1/16 in. FOR TWO SPOOLS Plate Name No: No. Plate Name 35227 24192 Feed Dog, 20 teeth (16 teeth to the inch).. 35181 24192 Feeding Foot 24193 Spool Pin (2) 228764 36776 24192 Hemmer on Shank for 2-1/16 in. to 3 in. 24193 Spool Rest with 201254C...... 228766 hem, in steps of 1/16 in. Spool Rest Cushion (felt) (2) 150203 24193 NOTE: When ordering, furnish a finished sample or

228767

228768

228769

228770

228774

201254C

24193

24193

24193

24193

24193

24193

> SINGER Needles should be used in SINGER Machines These Needles and their Containers are marked with the Company's Trademark "SIMANCO"

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT SINGER made needles

NUMERICAL LIST OF PARTS

No.	Plate	Name
35D	24175	Bobbin Winder Stop Latch Hinge Screw for 150788
46D	24175	Bobbin Winder Hinge Screw
76D	24163	Knee Lifter Lifting Lever Connecting Rod
		Joint Hinge Screw for 56902
89 F	24164	Feed (upper) Bar Connecting Link Hinge
		Screw
101D	24176	Corder Cord Guide Arm Hinge Screw for 25787
123E	24160	Arm Screw
129D	24165	Feed (upper) Shaft Bracket (back) Screw
		for 4890
129D	24165	Feed (upper) Shaft Bracket (front) Screw for 4890
144D	24161	Arm Shaft Screw
145E	24161	Crank Connecting Rod Cap Screw for 4292.
145B	24170	Shuttle Race Screw
155C	24167	Needle Bar Connecting Stud Set Screw for
		15472
157E	24163	Feed (lower) Lifting Rock Shaft Crank
		Clamping Screw for 3166
157R	24163	Feed (lower) Rock Shaft Crank Set Screw
		for 29633
159D	2 4 1 6 5	Feed (upper) Lever Bracket Screw (upper)
		for 4890
175D	24162	Face Plate Screw Feed (upper) Lever Bracket Screw (lower)
180D	24165	for 4890
1007	24172	Binder Screw (to bed of machine)
190J 190J	24176	Corder Cord Guide Screw (to bed of
1703	21110	machine)
190J	24177	Corder Cord Guide Screw for 28645 and
		120207 Hemmer Screw (to bed of machine)
190J	24182	Needle Clamp Screw for 4265
196AL	24167 24166	Feed Dog Screw
208AL 217J	24172	Binder Screw for 161286, 161287 and
2173	24112	161288
217J	24176	Corder Cord Guide Screw for 25787
217D	24166	Feeding Foot Screw
217D	24166	Lifting Presser Foot Screw
226J	24163	Oscillating Shaft Crank Slide Block Cap
		Screw for 15171
233J	24162	Face Plate Thread Guard Screw for 56873.
233J	24171	Thread Take-up Spring Regulator Plate
		Adjusting Screw for 56873
237AL	24165	Feed (upper) Regulator Thumb Screw Stop
		Bracket Screw for 4938
262J	24168	Pressure Regulating Thumb Screw
284D	24166	Guide Thumb ScrewFeed (lower) Lifting Rock Shaft Screw
307C	24163	Center for 56814
		Genter for 20014

5.

	211						
No.	Plate	Name			No.	Plate	Name
307C	24163	Feed (lower) Rock Shaft Screw Center for	••	+	690E	24161	Guide Bar Driving Crank Wedge Screw for
		56814,					5750
313 C	24163	Feed (lower) Bar Screw Center for 56813.			691AL	24166	Throat Plate Screw
3 56C	22128	Knee Lifter Rock Shaft Knee Arm Hub Set			810D	24164	Feed (upper) Bar Hinge Cap Screw for
		Screw for 2766					4899
356C	22128	Knee Lifter Rock Shaft Knee Plate Set Screw for 2767	•		. 810E	24164	Lifting Presser Bar Lifting Bell Crank Hinge Cap Screw for 4899
356C	22128	Knee Lifter Rock Shaft Lifting Bracket Hook Set Screw for 6337			818W	24161	Feed (lower) Regulator Thumb Screw for 56894
356C	22128	Knee Lifter Rock Shaft Lifting Bracket Set			940W	24187	Hemmer Holder Hinge Screw for 160326
3300	22120				1014D	24165	Feed (upper) Regulator Thumb Screw for
375C	24161	Screw for 6337			10142	51105	4938
		Crank Connecting Rod Hinge Screw			1035C	24163	Oscillating Shaft Crank Slide Block Screw
375C	24161	Feed (lower) Connecting Link Hinge Screw		-	10330	21103	Stud for 15171
2756	241:61	for 5748		-	1044D	24177	Corder Cord Guide Arm Hinge Screw for
375 C	24161	Feed (lower) Forked Connection Hinge			1044D	24177	28645 and 120207
	24245	Screw			1064D	24163	Knee Lifter Lifting Lever Hinge Screw for
39 0E	24167	Needle Bar Connecting Link Adjusting	at .		1004D	24103	56902
		Screw for 4898			1088C	24167	Thread Take-up Lever Hinge Screw for
404J	24164	Guide Bar Lifting Bracket Screw for 4899.			10880	24167	56855
418E	24175	Bobbin Winder Tension Screw Stud for			14427	24170	Edge Folder Screw (to bed of machine)
		27308			1443J	24179	Edge Folder Screw (to bed of machine)
435AL	24161	Machine Pulley Set Screw for 56898,			1443J	24180	Hemmer Screw (to bed of machine)
445C	24163	Knee Lifter Ball Crank Set Screw for			1443J	24185	Hemmer Screw for 161044 and 161184
		80657			1443J	24186	Knee Lifter Rock Shaft Knee Arm Lock Nut
448AL	24161	Feed (lower and upper) Cam Set Screw for 4745		4	1509E	22128	for 2765
448AL	24163	Knee Lifter Lifting Lever Hook Set Screw for 4894			1513J	24163	Feed (lower) Lifting Rock Shaft Screw Center Nut for 56814
448AL	24162	Tension Screw Stud Set Screw for 56873			1513Ј	24163	Feed (lower) Rock Shaft Screw Center Nut
453AL	24165	Feed (upper) Forked Connection Set Screw			1513Ј	24161	for 56814
45747	24170	for 4746			1,71,50	24101	56812
457AL	24178	Corder Cord Guide Bed Leveling Screw for			1513J	24161	Oscillating Rock Shaft Hinge Pin Screw
4/0.4	241/2	120206	•	•	13130	D	Bearing Nut for 15489
460AL	24162	Thread Retaining Stud Set Screw for 56873.			1518J	24161	Crank Connecting Rod Hinge Screw Nut
462AL	24163	Oscillating Shaft Crank Set Screw for			1518J	24161	Feed (lower) Connecting Link Hinge Screw
	041/0	15165			15100	21101	Nut for 5748
462AL	24163	Shuttle Driver Set Screw for 68752	,	,	1518J	24161	Feed (lower) Forked Connection Hinge
591F	24169	Shuttle Tension Regulating Screw for 15277			13100	21101	Screw Nut
592E	24169	Shuttle Bobbin Case Latch Stop Screw for			1519J	24163	Feed (lower) Bar Screw Center Nut for
		15277			13170	24403	56813
598C	24168	Lifting Presser Bar Lifter Screw			1519E	24163	Oscillating Shaft Crank Slide Block Screw
600C	24171	Tension Screw Stud for 16202			13171	24105	Stud Nut for 15165
620AL	24165	Feed (upper) Lever Hinge Pin Set Screw			1521E	24163	Knee Lifter Lifting Lever Connecting Rod
		for 6305			13215	24103	Lock Nut for 56902
635C	24161	Oscillating Rock Shaft Hinge Pin Screw			1560C	24171	Tension Regulating Thumb Nut for 16202
		Bearing for 15489			1562J	24175	Bobbin Winder Tension Regulating Thumb
641E	24168	Lifting Presser Bar Bracket Clamping			13023	24173	Nut for 27308
		Screw for 3133			1620J	24175	Bobbin Winder Frame Hinge Screw Nut for
648J	24170	Shuttle Race Back Spring Screw for 56897.			10203	2113	150788
651D	24167	Needle Clamp Thread Guide Screw for 4865			1632C	24168	Pressure Regulating Thumb Screw Lock
662AL		Shuttle Race Cap Screw for 15420	•	•	10320	D-11-00	Nut
665J	24174	Lifting Presser Foot Spring Guide Screw			1813		Feed (lower) Lifting Rock Shaft Crank
	241/5	for 36465					Roller and Stud Nos. 1904 and 125060
666F	24165	Feed (upper) Regulator Thumb Screw Lock		_			for 3166
		Screw for 4938	•				

30

No.	Plate	Name			No.	Plate	Name
1819	24167	Thread Take-up Lever Roller and Stud for	•	+	2973 -	24169	Shuttle Bobbin Case Latch Lever for 15141
1823	24168	3072 Lifting Presser Bar Bracket Roller and			2974	24169	Shuttle Bobbin Case Latch Lever Fulcrum Pin for 15141
4 -		Stud for 3133			2975	24169	Shuttle Bobbin Case Latch Spring for 15277
1862	24167	Guide Bar Driving Crank Roller (roller only) for 4854			2996 3005	24169 24161	Shuttle Bobbin for 15100
1904	24163	Feed (lower) Lifting Rock Shaft Crank	1		3012	24161	Thread Take-up Cam Pin
-,		Roller for 1813			3037	24161	Feed (lower) Forked Connection for 5748
2002	24160	Arm Dowel Pin			3042	24163	Feed (lower) Rock Shaft for 56880
2049	24165	Feed (upper) Regulator Pin for 56774			3052 3072	24161 24167	Oscillating Rock Shaft Hinge Pin for 56812.
2058 2070	24168 24168	Lifting Presser Bar Lifting Presser Bar Spring Washer			3072 3093	24167	Thread Take-up Lever with 1819 for 56855 Feed (upper) Forked Connection Pin
2102	23253	Bobbin Winder Tension Disc for 225462			3094		Guide Bar Driving Crank Wedge for 5750
2102	24171	Tension Disc for 56791			3100		Lifting Presser Bar Spring (heavy)
2103	24171	Tension Spring for 56791			3126	24164	Guide Bar for 56752
2105	24162	Tension Thread Guard for 56872			3131	24167	Guide Bar Driving Crank Roller Cap for
2106	24175	Bobbin Winder Tension Thread Guard for				24142	4854
	241.77	27308	-	•	3133	24168	Lifting Presser Bar Bracket with 641E and 1823
2111	24171	Thread Retainer Guide complete, for 56873, Nos. 2112, 2114 and 2115			3163		Feed (lower) Lifting Rock Shaft complete,
2112	24171	Thread Retaining Disc with 2113 for 2111.			3103		Nos. 3165 and 3166
2113	24171	Thread Retaining Disc Steady Pin for 2112.			3165	24163	Feed (lower) Lifting Rock Shaft for 3163
2114	24171	Thread Retaining Spring for 2111			3166	24163	Feed (lower) Lifting Rock Shaft Crank with
2115	24171	Thread Retaining Stud for 2111					157E and 1813 for 3163
2124	24171	Thread Take-up Spring for 56791			3168	24163	Oscillating Shaft
2127	24171	Thread Take-up Spring Regulator Spring			4264 4265	24167 24167	Needle Bar
2269	24162	for 56873 Tension Releaser Hinge Pin for 56873			4266	24167	Needle Clamp Thread Guide for 4865
2361	24164	Feed (upper) Bar Hinge Bracket for 56752.			4292	24161	Crank Connecting Rod with 125044 and
2362	24164	Feed (upper) Bar Hinge Bracket Rivet for	į		·		two 145E
		56752	į		4304	24161	Oscillating Rock Shaft (steel) with 4784
2455	24175	Bobbin Winder Tension Disc for 27308					for 5747
2460	24175	Bobbin Winder Friction Ring (rubber) for			4305 4347	24160 24153	Shuttle Race Slide for 80528
2461	24175	5528 Bobbin Winder Pulley for 5530	•	•	4359	24161	Arm Shaft for 56811
2461 2464	24175	Bobbin Winder Spring			4378	24161	Tension Releaser for 56873
2515	24169	Shuttle Body for 15100			4391	24163	Feed (lower) Bar
2530	24170	Shuttle Race Body for 15420	•	1	4448	24160	Arm Oil Tube for intermediate bearing
2531	24170	Shuttle Race Back for 56897					for 4890
2532	24170	Shuttle Race Back Position Pin for 56897			4449	24161 24166	Arm Shaft Bushing (front) for 4890 Feed Dog 15 teeth (16 teeth to the inch)
2533	24170	Shuttle Race Back Spring for 56897			4642 4646	24166 24166	Throat Plate, large needle hole
2535 2763	24170 22128	Shuttle Race Cap for 15420			7070		No. 4646 is regularly furnished with this
2765	22128	Knee Lifter Rock Shaft Knee Arm with					machine.
2103	22120	1509E for 2768			4723	24164	Guide Bar Lifting Bracket for 4899
2766	22128	Knee Lifter Rock Shaft Knee Arm Hub with 356C for 2768			4725	24168	Lifting Presser Bar Lifting Bracket for 56902
2767	22128	Knee Lifter Rock Shaft Knee Plate with			4726	24168	Lifting Presser Bar Lifting Bracket Guide
J. V.		356C for 2768					Pin for 56902
2768		Knee Lifter Rock Shaft Knee Arm complete,			4743	24160	Arm Side Cover
		for 139625, Nos. 2765, 2766 and 2767			4744	24164	Feed (upper) Bar for 4899
2770	22128	Knee Lifter Rock Shaft Stop Dog with 140219C for 139633			4745	24161	Feed (upper and lower) Cam with 448AL for 56811
2824	24160	Shuttle Race Slide Spring for 80528	•				

1

	No.	Plate	Name
	4746	24165	Feed (upper) Forked Connection with 453AL for 56774
	4747	24161	Feed (lower) Regulator for 56894
	4784	24161	Oscillating Rock Shaft Oil Pad for 4304
	4854	24167	Guide Bar Driving Crank with 1862 and 3131
	4865	24167.	Needle Clamp complete, Nos. 651D, 4265 and 4266
*	4890		Arm with 159D, 180D, 4448, 4449, 4891, 4892, 6305 and four 129D
	4891	24165	Feed (upper) Shaft Bracket (front) for 4890
	4892	24165	Feed (upper) Shaft Bracket (back) for 4890
	4894	24163	Knee Lifter Lifting Lever with 448AL for 56902
	4895	24163	Knee Lifter Lifting Lever Connecting Rod for 56902
	4896	24163	Knee Lifter Lifting Lever Hook for 56902.
	4897	24164	Lifting Presser Bar Lifting Bell Crank for 4899
	4898	24167	Needle Bar Connecting Link with 390E for 56764
	4899		Guide Bar complete, Nos. 810D, 810E, 4723, 4744, 4897, 56752 and three 404J
	4904	24165	Feed (upper) Lever
	4907	24165	Feed (upper) Regulator Thumb Screw Stop Bracket for 4938
	4908	24165	Feed (upper) Shaft for 56774
	4909	24168	Lifting Presser Bar Lifter
	4918		Wrench for 1632 (accessories)
	4938		Feed (upper) Regulator complete, for 56774, Nos. 666F, 1014D, 4907, 4959, 13076, 56904 and two 237AL
	4959	24165	Feed (upper) Regulator Thumb Screw Lock Stud (brass) for 4938
	5522	24175	Bobbin Winder Frame for 5528
	5528	24175	Bobbin Winder (tight wheel) complete, Nos. 2460, 5522 and 5530
	5529	24175	Bobbin Winder Spindle for 5530
	5530		Bobbin Winder Spindle 5529 with 2461 for 5528
	5747		Oscillating Rock Shaft 4304 with 15489 and 56812
	5748		Feed (lower) Forked Connection complete, Nos. 3037, 52165, 56894 and two each 375C and 1518J
	5750		Guide Bar Driving Crank Wedge 3094 with 690E
	5792	24166	Lifting Presser Foot
	6037		Corder Cord Guide Bracket Pin for 26796.
*	6305		Feed (upper) Lever Bracket with two 620AL for 4890
	6306	24164	Feed (upper) Bar Connecting Link

NUMERICAL LIST OF PARTS

No.	Plate	Name
6307	24165	Feed (upper) Lever Hinge Pin
6319	24181	Feed (upper) Bar for upholstery and
,		similar work, for various sizes of cord.
6337	22128	Knee Lifter Rock Shaft Lifting Bracket
		with two 356C for 139633
7071	24172	Binder Screw Washer (to bed of machine).
7071	24172	Binder Screw Washer for 161286, 161287
		and 161288
7071	24176	Corder Cord Guide Screw Washer
7071	24182	Hemmer Screw Washer
7071	24187	Hemmer Thumb Screw Washer for 160326.
7539	22128	Knee Lifter Rock Shaft Hanger with two wood screws 1 in. No. 10 for 139625
8225		Lifting Presser Bar Spring (extra heavy).
8879	24160	Arm Spool Pin Washer (cloth)
0017	NOTE:	When ordering No. 8879, state color requred.
8908	24153	Wrench for 1519 and 1520 (accessories)
10141	24175	Bobbin Winder Tension Spring for 27308
11241	24175	Bobbin Winder Spool Washer (cloth) for
		27308
12234	24163	Knee Lifter Bell Crank Shaft for 56902
12235	24163	Knee Lifter Bell Crank Spring for 56902
12361	24153	Machine Hinge Connection
12416	24163	Knee Lifter Lifting Lever Connecting Rod
12424	241/2	Joint for 56902
12424	24163	Oscillating Shaft Crank Slide Block Cap Screw Washer for 15171
8H4 1185	24165	Feed (upper) Regulator Slide Block for
13010	21103	4938 ,
13710	23253	Bobbin Winder Tension Spring for 225462
15072	24175	Bobbin Winder Bobbin Position Pin for
		27538
15100	24169	Shuttle, 1-11/16 in. diam., Nos. 2515,
		2996 and 15277
151 4 0	24169	Shuttle Bobbin Case Latch for 15141
15141		Shuttle Bobbin Case Hinge with 2973, 2974
		and 15140 for 15277
15165	-	1519E, 15171, 15426 and two 462AL
15170	24163	Oscillating Shaft Crank Slide Block for
15170	24103	15171
15171		Oscillating Shaft Crank Slide Block
		complete, for 15165, Nos. 226J, 1035C,
		12424 and 15170
15277	24169	Shuttle Bobbin Case with 591F, 592E, 2975,
		15141 and 15278 for 15100
15278	24169	Shuttle Tension Spring for 15277
15420		Shuttle Race Body 2530 with 2535 and two
15404	241/2	662AL for 56897
15426	24163	Needle Bar Connecting Stud with 155C for
15472	24167	56764
15489		Oscillating Rock Shaft Hinge Pin Screw
13407		Bearing 635C with 1513J for 5747

No.	Plate	Name
16202		Tension Screw Stud 600C with 1560C for
25783	24176	56791 Corder Cord Guide Bed for 25787
25784	24176	Corder Cord Guide for 25787
25785	24176	Corder Cord Guide Arm for 25787
25786	24176	Corder Cord Guide Dowel Pin for 25787
25787	24176	Corder complete, for upholstery and
23101	24170	similar work for 1/8 in. to 1/2 in. cord,
		in steps of 1/32 in., Nos. 101D, 217J,
		25783, 25784, 25785 and 25786
	NOTE:	When ordering No. 25787, furnish a finished
		sample or state size of cord.
25875	24166	Guide
26026	24153	Screw Driver (machine) accessories
26485	24153	Screw Driver (shuttle tension) accessories
26795	24177	Corder Cord Guide for 28645 and 120207
26796	24177	Corder Cord Guide Arm with 26798 and
		three 6037 for 28645 and 120207
26798	24177	Corder Cord Guide Bracket for 26796 and 120207
27136	24153	Machine Button with wood screws 1-1/2 in.
		No. 14 R. H. B. (accessories)
27302	24175	Bobbin Winder Frame for 150788
27303		Bobbin Winder Frame Spring for 150788
27306	24175	Bobbin Winder Spool Pin for 27308
27307	24175	Bobbin Winder Spool Stand for 27308
27308	24175	Bobbin Winder Spool Stand complete, for
		150789, Nos. 418E, 1562J, 2106, 10141,
		11241, 27306, 27307 and two each 2455
		and wood screws 1 in. No. 10
27312	24175	Bobbin Winder Stop Latch for 150788
27538	24175	Bobbin Winder Spindle with 15072 and
		41828 for 150788
27540	24175	Bobbin Winder Base for 150788
28627	24183	Hemmer on Shank for Chambray, Flannel,
		Indian Head, Blue Denim and similar
		material, for $1/8$ in. to $3/4$ in. hem,
		in steps of 1/16 in
	NOTE:	When ordering, furnish a finished sample or
		state size of hem,
28644	241.77	Corder Cord Guide Bed for 28645
28645	24177	Corder (adjustable) complete, for
		upholstery and similar work for $1/8$ in.
		to 1/2 in. cord in steps of 1/32 in., Nos
		190J, 1044D, 26795, 26796 and 28644
	NOTE:	When ordering No. 28645, furnish a finished
		sample or state size of cord.
28649	24179	Edge Folder on Shank for Broadcloth,
		Muslin and similar material for $1/8$ in.
		to 5/8 in. edge fold, in steps of 1/16 in.
	NOTE:	When ordering, furnish a finished sample
		or state size of edge fold.

No.	Plate	Name
28650	24184	Hemmer on Shank for heavy Canton Flannel and similar materials for 3/16 in, to 5/8 in, hem, in steps of 1/16 in
	NOTE:	When ordering, furnish a finished sample or state size of hem.
28719	24185	Hemmer on Shank for Muslin and similar materials for 1/4 in. to 1/2 in. hem, in steps of 1/16 in
	NOTE:	When ordering, furnish a finished sample or state size of hem.
28720	24190	Hemmer on Shank for Muslin and similar materials for 9/16 in, to 1 in, hem., in steps of 1/16 in,
	NOTE:	When ordering, furnish a finished sample or state size of hem.
28721	24191	Hemmer on Shank for Muslin and similar materials for 1-1/16 in, to 2 in, hem, in steps of 1/16 in,
	NOTE:	When ordering, furnish a finished sample or state size of hem.
28972	24187	Hemmer Holder for 160326
29633	24163	Feed (lower) Rock Shaft Crank with 157R for 56880
32675		Lifting Presser Bar Spring (light)
35181	24172	Feeding Foot for use with 28627, 28649, 28650, 28719, 28720, 28721, 35236, 36776, 120991, 160326, 161044, 161181, 161184, 161286 and 161287
35227	24172	Feed Dog, 20 teeth (16 teeth to the inch) for use with 28627, 28649, 28650, 28719, 28720, 28721, 35236, 36776, 120991, 160326, 161044, 161181, 161184, 161286 and 161287
35229	24172	Throat Plate for use with 28627, 28649, 28650, 28719, 28720, 28721, 35236, 36776, 120991, 160326, 161044, 161181, 161184, 161286, 161287 and 161288
35230	24172	Lifting Presser Foot for use with 161286 and 161287
35236	24189	Hemmer on Shank for Muslin and similar materials for 7/16 in. to 1-1/8 in. hem, in steps of 1/16 in
	NOTE:	When ordering, furnish a finished sample or state size of hem.
35610	24187	Hemmer Holder Friction Washer for 160326
36345	24179	Lifting Presser Foot for use with 28627, 28649, 28650, 28719, 28720, 28721, 35236, 36776, 120991, 160326, 161044, 161181 and 161184
36346	24174	Feeding Foot for use with 161288
36464	24174	Lifting Presser Foot Spring Guide for 36465

No.	Plate	Name
36465	24174	Lifting Presser Foot (right hand spring guide) 160942 with 665J and 36464, for
36776	24192	use with 161288
	NOTE:	in steps of 1/16 in
41400	24153	Machine Rest Pin (wood) accessories
41828	24175	Bobbin Winder Spindle Collar Pin for
		27538
50356D	24175	Bobbin Winder Frame Hinge Screw for 150788
51224W	24160	Arm Side Cover Thumb Screw
51224W	24187	Hemmer Thumb Screw for 160326
51282E	24160	Shuttle Race Slide Spring Screw for 80528,
52165	24161	Feed (lower) Connecting Link for 5748
52239	24160	Arm Spool Pin and Thread Eyelet
56752		Guide Bar 3126 with 2361 and two 2362 for 4899
56764		Needle Bar Connecting Link 4898 with 15472
56774		Feed (upper) Shaft 4908 with 2049, 4746 and 4938
56791	24171	Tension complete, for 56873, Nos. 2103. 2124, 16202 and two 2102
56811		Arm Shaft 4359 with 4745 and 56829
56812		Oscillating Rock Shaft Hinge Pin 3052 with 1513J for 5747
56813		Feed (lower) Bar Screw Center 313C with 1519J
56814		Feed (lower) Lifting Rock Shaft Screw Center 307C with 1513J
56814		Feed (lower) Rock Shaft Screw Center 307C with 1513J
56829	24161	Thread Take-up Cam (steel) for 56811
56836		Throat Plate, small needle hole
56845		Feed Dog (spiked teeth)
56855		Thread Take-up Lever 3072 with 1088C
56870	24162	Face Plate Thread Guard for 56873
56871	24162	Face Plate for 56872
56872		Face Plate 56871 with 2105 for 56873
56873		Face Plate complete, Nos. 448AL, 460AL, 2111, 2127, 2269, 4378, 56791, 56870, 56872 and two 233J
56880		Feed (lower) Rock Shaft complete, Nos. 3042 and 29633
56882	24181	Feeding Foot for upholstery and similar work for various sizes of cord
56883	24181	Lifting Presser Foot for upholstery and similar work for various sizes of cord.
56894		Feed (lower) Regulator 4747 with 818W for 5748
56896	24166	Feeding Foot

No.	Plate	Name
56897	24170	Shuttle Race complete, Nos. 648J, 2531, 2533, 15420 and two 2532
56898	24161	Machine Pulley (heavy rim) "V" Belt Groove (outside diam, of Belt Groove 2.9 in.) with two 435AL
56902		Knee Lifter complete, Nos. 76D, 1064D, 1521E, 4725, 4726, 4894, 4895, 4896,12234, 12235, 12416, 80657 and 139625
56903	24168 NOTE:	Lifting Presser Bar Spring
56904	24165	Feed (upper) Regulator for 4938
68752	24163	Shuttle Driver with two 462AL
80528	24160	Shuttle Race Slide complete, Nos. 2824, 4305 and two 51282E
80657	24163	Knee Lifter Bell Crank with 445C for 56902
* 80982		Bed
120206	24178	Corder Cord Guide Bed with 457AL for 120207
120207	24178	Corder complete for upholstery and similar work for short turns, for 1/8 in to 1/2 in. Cord, in steps of 1/32 in., Nos. 190J, 1044D, 26795, 26796 and 120206
	NOTE:	When ordering No. 120207, furnish a finished sample or state size of cord.
120342	24153	Oiler (copper plated) with 120343 (accessories)
120343	24153	Oiler Spout, 3-1/2 in, long for 120342
120369	24176	Feeding Foot for use with 25787, 28645 and 120207
120370	24176	Lifting Presser Foot for use with 25787, 28645 and 120207
120427	24187	Hemmer Holder Shank for 160326
120991	24182	Hemmer on Shank for Muslin and similar
		materials, for 1/8 in. to 1/4 in. hem, in steps of 1/16 in
	NOTE:	When ordering, furnish a finished sample or state size of hem.
121328	24181	Finger Guard (narrow)
121332	24181	Finger Guide (wide)
121746	24172	Binder Shank Leveling Plate, for use with 161286, 161287 and 161288
121746	24182	Hemmer Shank Leveling Plate for use with 28650, 28720, 28721, 35236, 36776, 120991, 160326, 161044 and 161184
125044	24161	Crank Connecting Rod Oil Pad (felt) for 4292
125060	24163	Feed (lower) Lifting Rock Shaft Crank Roller Stud for 1813
139603	24161	Feed (lower) Regulator Hinge Screen Friction Washer
139623	22128	Knee Lifter Rock Shaft Lifting Bracket Hook for 139633
139625	22128	Knee Lifter Rock Shaft complete, for 56902, Nos. 2768, 139633 and two 7539

No.	Plate	Name
139633		Knee Lifter Rock Shaft 2763 with 2770, 6337 and 139623 for 139625
139637		Drip Pan with four 1 in. wire nails
140139E	24161	Feed (lower) Regulator Hinge Screw
140219C		Knee Lifter Rock Shaft Stop Dog Set Screw for 2770
140732AL	24161	Arm Shaft Bushing (back) Set Screw
150203	24193	Thread Unwinder Spool Rest Cushion (felt) for 228776
150785	24175	Bobbin Winder Pulley for 150788
150788	24175	Bobbin Winder, Nos. 35D, 1620J, 27302, 27303, 27312, 27538, 27540, 50356D, 150785 and two wood screws 1 in. No. 7
150789	24175	F. H. for 150789 Bobbin Winder (swinging automatic, right hand) complete, "V" belt drive, Nos. 27308 and 150788
160325	24187	Hemmer on Shank for 160326
160326	24187	Hemmer on Shank (adjustable, hinged)
		complete, for bottoms of pajamas and shorts, for 3/8 in. to 3/4 in. hem, in steps of 1/16 in., Nos. 940W, 7071, 28972, 35610, 51224W, 120427 and 160325
	NOTE:	When ordering, furnish a finished sample or state size of hem.
160942	24174	Lifting Presser Foot for 36465
161044	24188	Hemmer on Shank (turn up) Adjustable with two 1443J (backward and forward, as well as sidewise for Huck Toweling and similar materials for 3/8 in. to 1-5/16 in. hem, in steps of 1/16 in
	NOTE:	When ordering, furnish a finished sample or state size of hem,
161181	24180	Edge Folder (turn up) on Shank with two 1443J adjustable backward as well as
		sidewise, for Muslin, Indian Head, Blue Denim, Dress Suit Material etc. and Plastics for 1/4 in. to 3/4 in. edge folds, in steps of 1/16 in
	NOTE:	When ordering, furnish a finished sample or state size of edge fold.
161184	24186	Hemmer on Shank (turn up) Adjustable with two 1443J (backward and forward as well as sidewise) for Broadcloth, Muslin, Chambray, Plastic and similar material for 1/4 in. to 5/8 in. hem, in steps of 1/16 in.
	NOTE:	When ordering, furnish a finished sample
		or state size of hem.
161282	24176	Feed Dog, 17 teeth (16 teeth to the inch) for use with 25787, 28645, 120207 and
161283	24176	for Fittings, for various sizes of cord Throat Plate for use with 25787, 28645, 120207 and for Fittings, for various
		sizes of cord

No.	Plate	Name
161286	24172	Binder on Shank with two each 217J and 7071, Adjustable backward and forward as well as sidewise for general, plastic, plastic coated as well as prefolded bias binding, for 7/16 in. to 3/4 in. binding, in steps of 1/16 in
	NOTE:	When ordering, furnish a finished sample and materials for testing or state size of binding or tape.
161287	24173	Binder on Shank with two each 217J and 7071, Adjustable backward and forward as well as sidewise for general, plastic, plastic coated tapes as well as prefolded bias binding, for 13/16 in. to 1-3/8 in, binding, in steps of 1/16 in
	NOTE:	When ordering, furnish a finished sample and materials for testing or state size of binding or tape.
161288	24174	Binder on Shank with two each 217J and 7071, Adjustable backward and forward as well as sidewise (Turn in top only) for general, plastic and plastic coated bindings for 1 in. to 1-3/4 in. bindings, in steps of 1/16 in
	NOTE:	When ordering, furnish a finished sample and materials for testing or state size of binding as well as size of finish.
161289	24174	Feed Dog (spiked teeth) for use with
200056E	23253	Bobbin Winder Stop Latch Screw for 259431 and 259462
200082D	23253	Bobbin Winder Tension Bracket Screw for 259431 and 259462
200113F	23253	Bobbin Winder Brake Clamp Screw for 259431 and 259462
200299B	23253	Bobbin Winder Stop Latch Trip Lever Hinge Screw for 259431 and 259462
200380C	23253	Bobbin Winder Pulley Set Screw for 225368 and 259461
201254C	24193	Thread Unwinder Spool Rest Set Screw for 228766
201499B	23253	Bobbin Winder Tension Stud for 225461
201572B	23253	Bobbin Winder Tension Stud Thumb Nut for 225462
202277	23253	Bobbin Winder Frame Oil Packing (wick) for 225453
202478	23253	Bobbin Winder Stop Latch Trip Lever for 259431 and 259462
225368	23253	Bobbin Winder Pulley with 200380C for 259431
225381	23253	Bobbin Winder Spindle for 259431 and 259462
225444	23253	Bobbin Winder Stop Latch for 259431 and 259462

No.	Plate	Name
225453	23253	Bobbin Winder Frame with 202277 and 259660 for 259431 and 259462
225454	23253	Bobbin Winder Frame Hinge Pin for 259431 and 259462
225455	23253	Bobbin Winder Frame Spring for 259431 and 259462
225456	23253	Bobbin Winder Frame Spring Plunger for 259431 and 259462
225458	23253	Bobbin Winder Stop Thumb Lever for 259431 and 259462
225459	23253	Bobbin Winder Stop Latch Thumb Lever Hinge Stud for 259431 and 259462
225459	23253	Bobbin Winder Stop Latch Thumb Lever Joint Stud for 259431 and 259462
225461	23253	Bobbin Winder Tension Bracket with 201499B for 225462
225462	23253	Bobbin Winder Tension Bracket complete, for 259431 and 259462, Nos. 13710, 201572B, 225461 and two 2102
228026	23253	Bobbin Winder Tension Bracket Screw Washer for 259431 and 259462
228764	24193	Thread Unwinder Spool Pin for 228776
228766	24193	Thread Unwinder Spool Rest with 201254C, for 228776
228767	24193	Thread Unwinder Spool Rest Rod for 228776
228768	24193	Thread Unwinder Spool Stand for 228776
228769	24193	Thread Unwinder Thread Guide for 228776
228770	24193	Thread Unwinder Thread Guide Holder for 228776
228774	24193	Thread Unwinder Thread Guide Rod for 228776
228776	24193	Thread Unwinder complete, (for two spools) Nos. 228766, 228767, 228768, 228770, 228774, two each 150203,228764, 228769 and three wood screws 7/8 in. No. 12
259428	23253	Bobbin Winder Brake (leather) for 259431 and 259462
259429	23253	Bobbin Winder Brake Clamp for 259431 and 259462
259430	23253	Bobbin Winder and Tension Bracket Base for 259431
259431	23253	Bobbin Winder (round belt) complete, Nos. 200056E, 200082D, 200113F, 200299B, 202478, 225368, 225381, 225444, 225453, 225454, 225455, 225456, 2254548, 225462, 228026, 259428, 259429, 259430 and two each 225459 and wood screws 3/4 in. No. 12 R. H. B
259461	23253	Bobbin Winder Pulley with 200380C for

No.	Plate	Name
259462	23253	Bobbin Winder (Swinging Automatic right
		hand) complete for Power Table "V"
		belt drive, Nos. 200056E, 200082D,
		200113F, 200299B, 202478, 225381,
		225444, 225453, 225454, 225455, 225456,
		225458, 225462, 228026, 259428, 259429,
		259461, 259662 and two each 225459 and wood screws 3/4 in. No. 12 R.H
259660	23253	Bobbin Winder Frame Oil Well Washer
237000	63633	for 225453
259662	23253	Bobbin Winder and Tension Bracket Base

SINGER Needles should be used in SINGER Machines These Needles and their Containers are marked with the Company's Trademark "SIMANCO"

Needles in Containers marked .
"FOR SINGER MACHINES"
are NOT SINGER made needles 2

